



Safety starts with Stell

Labelling Solutions. Made by Stell







Dear Business Partner,

we are pleased that you are interested in our company and products. For more than 40 years, we have aimed to ensure that working environments are clear-cut and safe. With our high-quality materials and distinct industry knowledge in the fields of energy, chemicals, maritime, industry and fire protection, we are ready to serve as your qualified partner.

The new catalogue offers a comprehensive product selection when it comes to plant labelling and safety identification. With this catalogue, we are providing you with a resource to help you get to know all our products while also facilitating your selection of the product that is most suitable for you.

We are also happy to develop customised solutions for your specific requirements. Our team of experts will help you with any questions you may have.

We look forward to working with you.

Sincerely,

Jan Bernd Stell, Managing Director of Stell GmbH



8

10

32

36

54

61

64

65

72

Contents



STELL GmbH

About the company	4
Our business approach – Labelling in a complete package	5



Plant Labelling

Introduction







Safety Identification

Plans for Process Engineering









About the company



Since 1976, we at Stell GmbH have established ourselves as a modern group of medium-sized companies on the market for labelling and signage solutions. Providing comprehension, safety and orientation in buildings, process plants and at sea is our primary goal. High-quality materials and distinct industry knowledge in the fields of energy, chemicals, maritime, industry and fire protection ensure that the working environment is clear-cut and safe for personnel and employees.

The labelling of plants as well as safety identification are among our core competencies. As a global group of companies with branches in Germany, the Netherlands and India, we work together with our partners and customers to ensure comprehensive, effective and correct labelling solutions.

Our aim is to offer you a 100% carefree package. Our business approach allows us to offer you a one-stop-shop for all steps of the process chain. Project planning, production, on-site installation and documentation supervised by qualified consulting – our labelling solutions represent a complete package. Thanks to this approach we provide optimal coverage for all customer requirements. In addition, we have built up a close-knit network of competent and reliable partners and suppliers to provide extra services whenever needed.

The Stell group at a glance

Enduring and reliable

- Over 45 years of experience
- Owner-operated Group of family businesses
- Numerous framework agreements with large corporations
- Sector-specific project references

Competent and customer-oriented

- 110 employees worldwide (DE, NL, IND)
- 90% added value in our own company
- 3,500 m² production and storage space with 7,500 stocked products
- Internationally networked and globally active

Certified and committed

- DIN membership in NASG / NSMT
- Chair of the ISO TC 145 / SC 2
- Safety certificates SCCP / VCA
- · Quality certificates ISO 9001 / Wheelmark D
- IMO-certified products / Wheelmark B



Our business approach - Labelling in a complete package

We take a systematic approach – from the consulting phase through to project completion. Our company independently covers each and every step that's involved and is therefore able to respond your specific project planning. The range of products and services we offer is seamlessly linked and simplifies project implementation in the process.



Step 1: PROJECT PLANNING

Our employees conduct on-site visits to record and examine all the specific requirements involved, thus laying the groundwork for proper project implementation. This procedure allows the material design, relevant quantities, signage text and installation locations to be precisely defined and, if desired, coordinated with you. In the event of missing P&lds or plans, we'll check and draw new documents for you so that your project can get off to an effective start.



Step 2: PRODUCTION

The signs and plans are produced according to high quality standards in Bocholt, Germany. This process is flexibly adjusted to the project plan and can be revised if necessary. We also have a well-stocked warehouse with standardised signs and fastening materials that are on hand to ensure smooth project processing.



Step 3: INSTALLATION

Fifty permanently employed, SCC-certified fitters with sound background knowledge and independent working methods come on site to install the signs exactly where they need to be. In performing this task, they refer to the relevant P&IDs and plans. Our team leaders regularly confers with you on the project's progress and documents it along the way. If desired, this documentation can be done in digital format.

Our products are systematically installed











Plant labelling

Process plant labelling must be systematic.

Our signs and the appropriate fastening materials allow you to employ a uniform approach to labelling components, pipes and containers. Systematically aligned with each other, recognisability, consistency and resistance to environmental influences go hand in hand.

Safety signs

Labelling must provide recognition value.

We offer reliable health and safety signing in accordance with current standards and laws. Various sizes and fastening options are available from stock as standard. In addition, we produce the signs you require using internationally standardised symbols as well as instructions or texts that are tailored to your needs.

Plans and signs for the fire brigade

Preventive fire protection is a matter of trust.

We know the current standards, but we always adapt your plans to the needs of the emergency services on site. Fire brigade plans and route maps are prepared by us – professional on-site survey included. In collaborating with our customers, we use the latest drawing software for our work and thus ensure clear instructions where they are needed.

Industrial signs

Made in Germany! Durable products require steadfast quality.

Our robust signs can withstand harsh environments and display the desired information in the long term. Whether it's for your scales, identification plates, labels or machine plates, we'll find the right material and an approach that's properly adapted to your production site.

Smart signs and the STELL Inspections App

Signs can be SMART too.

Mobile applications offer greater process reliability and efficiency for inspections and maintenance work. With the "Stell Inspections" app, your mobile device becomes the ideal companion for the maintenance process. Our Auto-ID-capable signs provide the ideal starting point to clearly identify your equipment and link it to the modern app system.



Plant Labelling

















Introduction	8
Original Stell "Stecksystem"	10
Symbol count and distance of observation	12
45 Series	14
06 Series	18
09 Series	22
18 Series	26
Printed and Engraved Signs	32
InSTELLigent Products – Signs with Barcode, Data Matrix and RFID	34
Slide-In System	36
06/09 Series	40
18 Series	43
27 Series	47
36 Series	51
Pipe Labelling – Stickers and Tapes	54
Pipe markers	55
Colour tapes	56
Arrow tapes	57
Text tapes	58
GHS tapes / Hazardous Substance Tapes	59
Module system and adhesive film stickers	60
Tank Labelling	61
Pre-labelling	64
Fastening and Accessories	65
Plans for Process Engineering	72

Introduction





To achieve clear understanding and sustainable work in energy and chemical plants, a distinct knowledge of plant components, pipes, tanks, containers is necessary. These days, straightforward plant labelling is indispensable.


In order to create a safe and comprehensive work environment it needs suitable planning, correct choice of the required labelling and professional fastening of the signs – which Stell offers as a complete package. During the planning phase we evaluate the on-site situation and the existing documentation. Should the required documentation, e.g. sign lists or up-to-date P&IDs, not be available we'll be happy to compile these for you, already taking into consideration the best choice of products and fastening materials. During the next phase, our expert staff independently carries out the labelling in a safe and professional manner for you. All of these tasks are included in the labelling project documentation (also in digital form of your choice) that will be handed out to you upon completion of the project or agreed parts of the project.

Thanks to a sophisticated product range, we are able to aid in providing comprehension and efficiency at your location. Whether specific identification Systems for Power Stations (KKS), plant labelling systems or customer coding, our signs permanently and concisely display essential information, facilitate communication and serve as a visual aid for you and your employees in your daily work. In addition, proper plant labelling helps to prevent operator errors or accidents and reduces the operating, maintenance and servicing costs throughout the entire service life.

Application	Oxygen	Water	Steam	Air	Flammable gases	Non flammable gases	Acids	Alkalis	Flammable liquids and fixed materials	Non flammable liquids and fixed materials
Group colour	RAL5005	RAL6032	RAL3001	RAL7004			RAL2010	RAL4008	RAL8002	RAL8002
Additional colour	-	-	-	-	RAL3001	RAL9004	-	_	RAL3001	RAL9004
Text colour	RAL9003*	RAL9003*	RAL9003*	RAL9004	RAL9004	RAL9004	RAL9004	RAL9003*	RAL9003*	RAL9003*







Compulsory labelling and its implementation - standards and laws

Plant labelling is either regulated by international law in its various areas of application, or existing standards apply as directives. In Europe, safety-relevant labels are required by law – especially at the workplace. In addition to the above mentioned identification Systems for Power Stations (KKS) or its successors – the Reference Designation System for Power Plants and plant labelling system – there are further regulations, standards and laws which are crucial to plant labelling.

Generally, plant labelling requires the labelling to be concise and in accordance with the latest technological standards.

Our labelling is designed according to German standard DIN 2403 (see **graphic 1**) as well as Germany's Gefahrstoffverordnung (GefStoffV, see **graphic 2**), or "Ordinance on Hazardous Substances", and can be adapted to your individual needs. We would be pleased to advise you on your labelling obligations, functional set-ups and our in-house labelling systems.

How to label according to German DIN standards

With DIN 2403, the German Institute for Standardization defines the currently valid technology standard for labelling pipes according to their content for above ground pipes on land. In DIN 2403, the following components are defined as compulsory minimum specifications:

- Group and additional colour of the content
- Flow direction
- · Indication of the fluid content

Other indicators (pressure, temperature, etc.) are optional.

Furthermore, the standard specifies how large a label should be depending on its distance of observation, and it makes several label-ling recommendations that should be followed.

Specify the correct distance of observation

A formula is used for calculating and deciding on a label's size (see **graphic 3**) and the font height.

 $\mathbf{D} = \mathbf{h} \times \mathbf{Z}$

Whereby:

D = the distance of observation,

h = the font height, resp. symbol height


Z = the distance factor.

300 for letters and numbers

40 for hazard symbols

For us, the distance of observation is determined on two levels. Either the correct font height can be calculated from the desired distance of observation on site, or, depending on the maximum distance of observation, the correct installation location for the labelling can be determined from the potential font height at the site.

Original Stell "Stecksystem"




The original Stell "Stecksystem" is a patented product for plant labelling that is specially designed for the labelling of components. Consisting of a sign-bracket, a slide-in profile, individually insertable symbols (letters, numbers etc.) and outer elements, the "Stecksystem" allows you to individually handle and design your sign. All symbols can be exchanged and contents can be adjusted when required.


Codings and information are flexibly compiled as individual symbols and can be supplemented with hazardous substance or GHS pictograms, the medium's desired flow direction and its group colour in accordance with DIN 2403. The "Stecksystem" is available in various series which can be ideally combined, regardless of size.


Two material designs are available for all series. Our trademark Luxotherm® plastic offers tremendous resistance against UV radiation and contains zero chlorides. All symbols and slide-in profiles are also available as aluminium versions should temperatures in the application area be higher. On request, the original Stell "Stecksystem" can be delivered with the necessary fastening material.













- Symbols (letters & numbers)
 - See page 11, 11, 11, 11
- Sp Slide-in profile
 - See page 11, 11, 11, 11
- Outer elements
 - See page 11, 11, 11, 11
- GS GHS pictograms
- See page 11, 11, 11
- Sign bracket
- See page 11
- Pipe clamp
- See page 11
- Blind rivets
 - See page 11



Symbol count and distance of observation

As the height of the font determines the distance of observation of your sign we offer the "Stecksystem" in different series, providing good visibility at close and long range. Having determined the required distance of observation and the corresponding font height you will now have to choose the number of symbols.

The overview shows how many characters and symbols will fit in a slide-in profile of a given length. Additionally, on the right side you can find a few examples of possible combinations of these series and the integration of special symbols as e.g. the GHS pictograms.

Possible combinations of the "Stecksystem" series


	45 series	06 series	09 series	18 series
	A	A	A	A
Font height	5 mm	8 mm	10 mm	30 mm
Observation distance	1,5 m	2,4 m	3 m	9 m
Slide-in profile	Symbol count (with full	outer elements)		
45 mm	6	-	-	_
54 mm	8	-	_	-
63 mm	10	-	-	-
72 mm	12	9	6	2 / 3*
81 mm	14	-	-	-
90 mm	16	12	8	3 / 4*
99 mm	18	-	-	-
108 mm	20	15	10	4 / 5*
126 mm	24	18	12	5 / 6*
144 mm	28	21	14	6 / 7*
162 mm	32	24	16	7 / 8*
180 mm	36	27	18	8 / 9*
198 mm	-	30	20	9 / 10*
216 mm	_	33	22	10 / 11*
234 mm	_	36	24	11 / 12*
252 mm	-	39	26	12 / 13*
270 mm	-	42	28	13 / 14*
288 mm	-	45	30	14 / 15*
306 mm	_	48	32	15 / 16*
324 mm	_	51	34	16 / 17*
342 mm	-	-	-	17 / 18*
360 mm	-	_	-	18 / 19*


- = length not available

= example on page 13


*half outer elements









09 Series



18 Series



Distance of observation 1,5 m



Sp Slide-in profiles

Material			Qua	ntity	Α	rticle
Chlorid free plastic P / Alur	ninium, anodised A		5 pie	eces	0	002
Length	Number of symbols*		Mat.		Mat.	
45 mm	6	Order-No. Price	Р	2061 € 1,70	Α	2049 € 2,55
54 mm	8	Order-No. Price	P	2062 € 1,85	Α	2050 € 2,70
63 mm	10	Order-No. Price	P	2063 € 2,00	Α	2051 € 2,8
72 mm	12	Order-No. Price	P	2064 € 2,15	Α	2052 € 3,0
81 mm	14	Order-No. Price	P	2065 € 2,30	Α	205 3 € 3,1
90 mm	16	Order-No. Price	P	2066 € 2,45	Α	205 4 € 3,3
99 mm	18	Order-No. Price	P	2067 € 2,60	Α	205 5 € 3,4
108 mm	20	Order-No. Price	P	2068 € 2,75	Α	205 € 3,6
126 mm	24	Order-No. Price	P	2069 € 3,05	Α	2057 € 3,9
144 mm	28	Order-No. Price	P	2070 € 3,35	Α	2058 € 4,2
162 mm	32	Order-No. Price	P	2071 € 3,65	Α	205 9 € 4,5

^{*}The number of symbols takes into account that 2 outer elements are always added.

Fastening

Find the suitable fastening from our system starting on page 65



Article

0001


RAL7004

Quantity

15 pieces


Outer elements

Scale 1:1 Material Luxotherm® L / Aluminium, anodised A 7,5 Oxygen Water DIN 2403 9 RAL6032 Group 1 No colour Mat. Design



without	Order-No. Price	L	2338 € 1,15	2322 € 1,15	2324 € 1,15	2326 € 1,15	2328 € 1,15
hole	Order-No. Price	Α	2318 € 2,10	2302 € 2,10	2304 € 2,10	2306 € 2,10	2308 € 2,10
with	Order-No. Price	L	2337 € 1,15	2321 € 1,15	2323 € 1,15	2325 € 1,15	2327 € 1,15
hole	Order-No. Price	Α	2317 € 2,10	2301 € 2,10	2303 € 2,10	2305 € 2,10	2307 € 2,10
			Gases	Acids	Alkalis	Liquids and fixed materials	Additional colour
			RAL1003	RAL2010	RAL4008	RAL8002	Black
Design	Order-No.	Mat.	Group 4/5 2330	2332	2334	Group 8/9 2336	Zusatz 2340
without	Price	L	€ 1,15	€ 1,15	€ 1,15	€ 1,15	€ 1,15
hole	Order-No. Price	Α	2310 € 2,10	2312 € 2,10	2314 € 2,10	2316 € 2,10	2320 € 2,10
with	Order-No. Price	L	2329 € 1,15	2331 € 1,15	2333 € 1,15	2335 € 1,15	2339 € 1,15
hole	Order-No. Price	Α	2309 € 2,10	2311 € 2,10	2313	2315 € 2,10	2319 € 2,10
NEN 305	0			Steam	Fire fighting	Gases and liquid gases	Alkalis
Design		Mat.	No colour	RAL9006	RAL3000	RAL1004	RAL4001
without	Order-No. Price	L	2338 € 1,15	2372 € 1,15	2362 € 1,15	2364 € 1,15	2360 € 1,15
hole	Order-No. Price	Α	2318 € 2,10	2354 € 2,10	2344 € 2,10	2346 € 2,10	2342 € 2,10
with	Order-No. Price	L	2337 € 1,15	2371 € 1,15	2361 € 1,15	2363 € 1,15	2359 € 1,15
hole	Order-No. Price	Α	2317 € 2,10	2353 € 2,10	2343 € 2,10	2345 € 2,10	2341 € 2,10
			Air	Oils and flammable liquids	Acids	Acids	Other liquids
Design		Mat.	RAL5012	RAL8001	RAL2008	RAL6010	Black
without	Order-No. Price	L	2366 € 1,15	2368 € 1,15	2376 € 1,15	2374 € 1,15	2340 € 1,15
hole	Order-No. Price	Α	2348 € 2,10	2350 € 2,10	2358 € 2,10	2356 € 2,10	2320 € 2,10
with	Order-No.	_	2365	2367	2375	2373	2339
WILLI	Price	L	€ 1,15	€ 1,15	€ 1,15	€ 1,15	€ 1,15

Distance of observation 1,5 m



Mat.

Order-No.

Order-No.

Price

Price

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90

€ 1,05

€ 1,90


€ 1,05

€ 1,90

€ 1,05

€ 1,90





Mat. Order-No. L

Order-No.

Price

1976 € 1,05

1886 € 1,90

1978 € 1,05

1888

€ 1,90

1992 € 1,05

1902

€ 1,90

1970 € 1,05

1880

€ 1,90

Distance of observation 2,4 m

Scale 1:1
20
Length

Sp Slide-in profiles

Material		Quantity	Article
Chlorid free plastic P / Aluminium	m, anodised A	5 pieces	0002
Length	Number of symbols*	Mat.	Mat.
72 mm	9	Order-No. P 2008 Price € 2,75	A 1993 € 4,00
90 mm	12	Order-No. P 2009 Price € 3,00	A 1994 € 4,25
108 mm	15	Order-No. P 2010 Price P € 3,25	A 1995 € 4,50
126 mm	18	Order-No. P 2011 Price P € 3,50	A 1996 € 4,75
144 mm	21	Order-No. P 2012 Price P € 3,75	A 1997 € 5,00
162 mm	24	Order-No. P 2013 Price P 4,00	A 1998 € 5,25
180 mm	27	Order-No. P 2014 Price P € 4,25	A 1999 € 5,50
198 mm	30	Order-No. P 2015 Price P € 4,50	A 2000 € 5,75
216 mm	33	Order-No. P 2016 Price P € 4,75	A 2001 € 6,00
234 mm	36	Order-No. P 2017 Price P € 5,00	A 2002 € 6,25
252 mm	39	Order-No. P 2018 Price P 5,25	A 2003 € 6,50
270 mm	42	Order-No. P 2019 Price P € 5,50	A 2004 € 6,75
288 mm	45	Order-No. P 2020 Price P € 6,00	A 2005 € 7,25
306 mm	48	Order-No. P 2021 Price P € 6,50	A 2006 € 7,85
324 mm	51	Order-No. P 2022 Price P € 7,00	A 2007 € 8,35

 $^{^{*}}$ The number of symbols takes into account that there are always two additional outer elements. 1 GHS symbol has the same width as 2 symbols.

GS GHS pictograms



Material						Quantity	Article
_uxotherm®	L /	Aluminium, anoc	lised A			10 pieces	0003
	Mat.	GHS 01 1246	GHS 02 1247	GHS 03	GHS 04 1249	GHS 05 1250	
1100	L	€ 1,65	€ 1,65	€ 1,65	€ 1,65	€ 1,65	
Order-No. Price	Α	1237 € 3,30	1238 € 3,30	1239 € 3,30	1240 € 3,30	1241 € 3,30	
,	Mat.	GHS 06	GHS 07	GHS 08	GHS 09		
Order-No. Price	L	1251 € 1,65	1252 € 1,65	1253 € 1,65	1254 € 1,65		
Order-No.	Α	1242 € 3,30	1243 € 3,30	1244 € 3,30	1245 € 3,30		



Outer elements Material Article Scale 1:1 Quantity Luxotherm® L (yellow/black) | L (white/black) / Aluminium, anodised A silver/black) 15 pieces 0001 15 **DIN 2403** 9 No colour RAL5005 RAL6032 Group 2 Design Mat. **41694** € 1,30 Order-No. Order-No. **2098** € 1,30 without 2110 2094 2096 2100 € 1,30 € 1,30 hole Price € 1.30 € 1.30 **2090** € 2,40 **2074** € 2,40 **2076** € 2,40 **2078** € 2,40 Order-No. 2080 € 2.40 Price Order-No. 41695 Price € 1,30 Order-No. **2109** € 1,30 **2097** € 1,30 with 2093 2095 2099 hole Price € 1.30 € 1.30 € 1.30 Order-No. **2089** € 2,40 **2073** € 2,40 **2075** € 2,40 **2077** € 2,40 2079 € 2,40 Alkalis and fixed materials colour RAL8002 Schwarz Design Mat. Order-No. 2102 2104 2106 2108 2112 L € 1,30 without Price € 1,30 € 1.30 € 1,30 € 1.30 Order-No. hole 2082 2084 2086 2088 2092 € 2,40 € 2.40 € 2.40 € 2.40 Order-No. 2103 2105 2107 2101 2111 € 1,30 € 1,30 € 1,30 € 1,30 € 1,30 with hole Order-No. 2081 2083 2085 2087 **2091** € 2,40 € 2,40 Fire fighting **NEN 3050** No colour Design Order-No. 41694 € 1,30 Order-No. without 2110 2144 2134 2136 2132 € 1,30 2116 2114 Order-No. 2126 2118 2090 € 2,40 € 2,40 € 2,40 Price Order-No. 41695 € 1,30 Price Order-No. L **2109** € 1,30 **2143** € 1,30 **2135** € 1,30 **2131** € 1,30 with 2133 € 1,30 Order-No. **2089** € 2,40 **2115** € 2,40 **2117** € 2,40 **2113** € 2,40 2125

Design

without

hole

with

hole

Price

Price Order-No.

Price

Order-No.

Order-No.

Mat. Order-No.

2138 € 1,30

2120 € 2,40

2137 € 1,30

€ 2,40

2140

€ 1.30

€ 2,40

2139

€ 1,30

2121

€ 2,40

2148

€ 1,30

2130

€ 2,40

2147

€ 1,30

2129

€ 2,40

Acids

2146 € 1,30

2128 € 2,40

2145

€ 1,30

2127

€ 2,40

Other liquids

Schwarz

2112

€ 1.30

2092

€ 2,40

2111


€ 1,30

2091

€ 2.40

Distance of observation 2,4 m

15



€ 1,10

1024 € 2,00

991 € 2,00

Price

Order-No.

€ 1,10

993 € 2,00

1026 € 2,00

€ 1,10

994 € 2,00

€ 1,10

1027 € 2,00

€ 1,10

995 € 2,00


€ 1,10

1028 € 2,00

€ 1,10

€ 2.00





Distance of observation 3 m

Scale 1:1

20
Length

Sp Slide-in profiles

Material		Quantity	Article
Chlorid free plastic P / Alum	ninium, anodised A	5 pieces	0002
Length	Number of symbols*	Mat.	Mat.
72 mm	6	Order-No. P 2008 Price P 2,75	A 1993 € 4,00
90 mm	8	Order-No. P 2009 Price P € 3,00	A 1994 € 4,25
108 mm	10	Order-No. P 2010 Price € 3,25	A 1995 € 4,50
126 mm	12	Order-No. P 2011 Price P € 3,50	A 1996 € 4,75
144 mm	14	Order-No. P 2012 Price P € 3,75	A 1997 € 5,00
162 mm	16	Order-No. P 2013 Price P € 4,00	A 1998 € 5,25
180 mm	18	Order-No. P 2014 Price P € 4,25	A 1999 € 5,50
198 mm	20	Order-No. P 2015 Price P € 4,50	A 2000 € 5,75
216 mm	22	Order-No. P 2016 Price P € 4,75	A 2001 € 6,00
234 mm	24	Order-No. P 2017 Price P € 5,00	A 2002 € 6,25
252 mm	26	Order-No. P 2018 Price P € 5,25	A 2003 € 6,50
270 mm	28	Order-No. P 2019 Price P € 5,50	A 2004 € 6,75
288 mm	30	Order-No. P 2020 Price P € 6,00	A 2005 € 7,25
306 mm	32	Order-No. P 2021 Price P € 6,50	2006
324 mm	34	Order-No. P 2022 Price P € 7,00	A 2007 € 8,35

^{*}Bei der Anzahl der Symbole ist berücksichtigt, dass immer 2 Außenelemente hinzu kommen.

GS GHS pictograms



12

Material					Quantity	Article
Luxotherm® L ,	/ Aluminium, anoc	dised A			10 pieces	0003
		JAK.	M		E.	
		<u> </u>	\Box			
					•	
Mat.	GHS 01	GHS 02	GHS 03	GHS 04	GHS 05	
Order-No. Price	1246	1247 € 1,65	1248 € 1,65	1249 6 1 6 5	1250 € 1,65	
Trice —	€ 1,65 1237	1238	1239	€ 1,65 1240	1241	
Order-No. Price	€ 3,30	€ 3,30	€ 3,30	€ 3,30	€ 3,30	
				No.		
		〈!>		\\\\		
	0110.00	0110.07	0110.00	0110.00		
Mat.	GHS 06	GHS 07	GHS 08	GHS 09		
Order-No. Price	1251 € 1,65	1252 € 1,65	1253 € 1,65	1254 € 1,65		
^	1242	1243	1244	1245		
Order-No. Price	€ 3,30	€ 3,30	€ 3,30	€ 3,30		



Outer elements Article Scale 1:1 Material Quantity Luxotherm® L (yellow/black) | L (white/black) / Aluminium, anodised A silver/black) 15 pieces 0001 **DIN 2403** No colour RAL5005 RAL6032 RAL3001 Group 2 Design Mat. Order-No. 41694 € 1,30 Order-No. without 2110 2094 2096 2098 2100 € 1,30 € 1,30 hole Price € 1.30 € 1.30 € 1.30 Order-No. **2090** € 2,40 **2074** € 2,40 **2076** € 2,40 **2078** € 2,40 2080 € 2.40 Price Order-No. 41695 Price € 1,30 Order-No. **2109** € 1,30 **2097** € 1,30 with 2093 2095 2099 hole Price € 1.30 € 1.30 € 1.30 Order-No. **2089** € 2,40 **2073** € 2,40 **2075** € 2,40 **2077** € 2,40 2079 € 2,40 Alkalis and fixed materials colour RAL4008 RAL8002 Schwarz Group 4/5 Group 6 Group 7 Group 8/9 Mat. Design Order-No. 2102 2104 2106 **2108** € 1,30 **2112** € 1,30 € 1,30 € 1,30 € 1.30 without Price Order-No. **2082** € 2,40 hole 2086 2088 2092 € 2.40 € 2.40 € 2.40 € 2,40 Order-No. 2101 2103 2105 2107 2111 € 1,30 with Price € 1,30 € 1,30 € 1,30 € 1,30 Order-No. hole **2081** € 2,40 2083 2085 2087 2091 € 2,40 € 2.40 € 2,40 € 2.40 Fire fighting **NEN 3050** RAL3000 No colour Design Mat. **41694** € 1,30 Order-No. Price Order-No. **2144** € 1,30 **2136** € 1,30 **2132** € 1,30 without 2110 2134 € 1.30 € 1.30 hole Price Order-No. **2090** € 2,40 **2126** € 2,40 2116 **2118** € 2,40 **2114** € 2,40 Price € 2.40 Order-No. L 41695 Price € 1,30 Order-No. with 2109 2143 2133 2135 2131 hole Price € 1,30 € 1,30 € 1,30 € 1,30 € 1,30 Order-No. **2089** € 2,40 **2125** € 2,40 **2115** € 2,40 **2117** € 2,40 **2113** € 2,40 Schwarz Design Mat. Order-No. **2138** € 1,30 2140 2148 2146 2112 € 1,30 € 1,30 € 1,30 € 1,30 without hole Order-No. 2120 2122 2130 2128 2092 Price € 2,40 € 2,40 € 2,40 € 2,40 € 2,40

Order-No.

Order-No.

with

2137 € 1,30

2119

€ 2,40

2139

2121

€ 2,40

€ 1,30

15

9

2145

€ 1,30

2127

€ 2,40

2111

€ 1.30

2091

€ 2,40


2147

€ 1,30

2129

€ 2,40

Distance of observation 3 m



1462

€ 1,30

Price

Order-No.

1400

€ 1,30

1282 € 2,40

1466

€ 1,30

1468

€ 1,30

1470


€ 1,30

1406


€ 1,30

1318 € 2,40





Distance of observation 9 m



Sp Slide-in profiles


Material		(Quai	ntity	P	rticle
Chlorid free plastic P / Al	uminium, anodised A	5	pie	ces	C	002
Length	Number of symbols*		Mat.		Mat.	
72 mm	2 / 3**	Order-No. Price	P	6782 € 3,20	Α	6778 € 4,65
90 mm	3 / 4**	Order-No. Price	P	6783 € 3,50	Α	6779 € 4,95
108 mm	4 / 5**	Order-No. Price	P	6784 € 3,80	Α	6780 € 5,25
126 mm	5 / 6**	Order-No. Price	P	6785 € 4,10	Α	6781 € 5,55
144 mm	6 / 7**	Order-No. Price	P	2036 € 4,40	Α	2023 € 5,85
162 mm	7 / 8**	Order-No. Price	•	2037 € 4,70	Α	2024 € 6,15
180 mm	8 / 9**	Order-No. Price	P	2038 € 5,00	Α	2025 € 6,45
198 mm	9 / 10**	Order-No. Price		2039 € 5,30	Α	2026 € 6,75
216 mm	10 / 11**	Order-No. Price	P	2040 € 5,60	Α	2027 € 7,05
234 mm	11 / 12**	Order-No. Price	P	2041 € 5,90	Α	2028 € 7,35
252 mm	12 / 13**	Order-No. Price		2042 € 6,20	Α	2029 € 7,75
270 mm	13 / 14**	Order-No. Price		2043 € 6,50	Α	2030 € 8,05
288 mm	14 / 15**	Order-No. Price	P	2044 € 6,80	Α	2031 € 8,35
306 mm	15 / 16**	Order-No. Price	•	2045 € 7,10	Α	2032 € 8,65
324 mm	16 / 17**	Order-No. Price		2046 € 7,80	Α	2033 € 9,25
342 mm	17 / 18**	Order-No. Price	P	2047 € 8,40	Α	2034 € 9,85
360 mm	18 / 19**	Order-No. Price	Р	2048 € 9,00	Α	2035 € 10,45

^{*}The number of symbols takes into account that there are always two additional outer elements. **With half outer elements




Scale 1:1

18




GS GHS pictograms



Distance of observation 9 m




Price






Outer Elements



Erkennungsweite 9 Meter












	Mat.	Z	Z	0	1	2	3	4	5	6	7
Order-No. Price	L	1695 € 2,10	1761 € 2,10	1791 € 2,10	1793 € 2,10	1795 € 2,10	1797 € 2,10	1799 € 2,10	1801 € 2,10	1803 € 2,10	1805 € 2,10
Order-No.	L	1696 € 2,10	1762 € 2,10	1792 € 2,10	1794 € 2,10	1796 € 2,10	1798 € 2,10	1800 € 2,10	1802 € 2,10	1804 € 2,10	1806 € 2,10
Order-No. Price	Α	1565 € 4,20	1598 € 4,20	1613 € 4,20	1614 € 4,20	1615 € 4,20	1616 € 4,20	1617 € 4,20	1618 € 4,20	1619 € 4,20	1620 € 4,20
	Mat.	8	9	2	2	3	3	4	4		•
Order-No. Price	L	1807 € 2,10	1809 € 2,10	1697 € 2,10	1785 € 2,10	1699 € 2,10	1787 € 2,10	1701 € 2,10	1789 € 2,10	1633 € 2,10	1635 € 2,10
Order-No. Price	L	1808 € 2,10	1810 € 2,10	1698 € 2,10	1786 € 2,10	1700 € 2,10	1788 € 2,10	1702 € 2,10	1790 € 2,10	1634 € 2,10	1636 € 2,10
Order-No. Price	Α	1621 € 4,20	1622 € 4,20	1566 € 4,20	1610 € 4,20	1567 € 4,20	1611 € 4,20	1568 € 4,20	1612 € 4,20	1534 € 4,20	1535 € 4,2
Price Order-No. Price Order-No.	Mat. L A	1637 € 2,10 1638 € 2,10 1536 € 4,20	1777 € 2,10 1778 € 2,10 1606 € 4,20	1703 € 2,10 1704 € 2,10 1569 € 4,20	1763 € 2,10 1764 € 2,10 1599 € 4,20	1765 € 2,10 1766 € 2,10 1600 € 4,20	1781 € 2,10 1782 € 2,10 1608 € 4,20	1769 € 2,10 1770 € 2,10 1602 € 4,20	1771 € 2,10 1772 € 2,10 1603 € 4,20	1773 € 2,10 1774 € 2,10 1604 € 4,20	€ 2,10 3030 € 2,10 3029
Order-No. Price Order-No. Price Order-No. Price Order-No. Price	L	€ 2,10 1638 € 2,10 1536	€ 2,10 1778 € 2,10 1606	€ 2,10 1704 € 2,10 1569	€ 2,10 1764 € 2,10 1599	1765 € 2,10 1766 € 2,10 1600	1781 € 2,10 1782 € 2,10 1608	€ 2,10 1770 € 2,10 1602	€ 2,10 1772 € 2,10 1603	€ 2,10 1774 € 2,10 1604	3030 € 2,10 3030 € 2,10 3029 € 4,2
Price Order-No. Price Order-No. Price Order-No.	L A	€ 2,10 1638 € 2,10 1536 € 4,20	€ 2,10 1778 € 2,10 1606 € 4,20	€ 2,10 1704 € 2,10 1569 € 4,20 0/ 0/ 1779	€ 2,10 1764 € 2,10 1599 € 4,20	1765 € 2,10 1766 € 2,10 1600 € 4,20	1781 € 2,10 1782 € 2,10 1608 € 4,20	€ 2,10 1770 € 2,10 1602	€ 2,10 1772 € 2,10 1603	€ 2,10 1774 € 2,10 1604	€ 2,10 3030 € 2,10 3029

Printed and Engraved Signs



When we talk about signs, we are usually referring to engraved or printed signs for plant labelling. Both versions are available in a variety of basic materials, the standard sizes are perfectly matched to our fastenings, and they can be provided with data components such as QR codes or RFID. The location's conditions serve as the determining factor in selecting the material and the production process.

Printed Signs

Fast production even with large quantities. Our machines can process a multitude of substrates with a wide variety of colour systems. These range from conventional solvent-based colours to multi-component colours and lacquers with extreme resistance to external influences through UV-hardening paints. Additionally, we offer a wide selection of printable materials, among them conventional polyvinyl chloride, various metals, plastics and acrylates. This way, new and frequently used contents can be combined by making use of a multitude of implementation variants.

Engraved Signs

The classic when it comes to price-performance ratio. Simple and long-lasting labelling, even in temperature critical areas. Our in-house production allows us to offer cost-effective engraving and short-term delivery times. Through milling, machine engraving and laser engraving, we are able to cleanly and precisely label all plastic and metal signs. We offer about 80 different basic materials, surface textures and colour tones for you to choose from. When engraving and milling metals, the contrast in the material can also be significantly increased by the colouring of the milling groove.





Character count and distance of observation


Coding and text message represent the essence of a sign. The required length of the text depends on the desired, resp. the required height of the text and the resulting length of the sign.

Font height (r	5	6	8 2,4	10	12 3,6	14 4,2	16 4,8	18 5,4	20	22 6,6				
Distance of observation (m)														
Length (mm)	Height (mm)			Character count per line*										
74 mm	22	42	-	with hole	20	17	13	10	9	7	6	6	5	5
				without hole	24	20	15	12	10	8	7	7	6	6
92 mm	22	42	62	with hole	26	22	17	13	11	9	8	8	6	6
				without hole	30	25	19	15	12	10	9	9	7	7
110 mm	22	42	62	with hole	32	27	21	16	13	11	10	10	7	7
				without hole	36	30	23	18	14	12	11	11	8	8
128 mm	22	42	62	with hole	38	32	25	19	15	13	12	12	9	9
				without hole	42	35	27	21	16	14	13	13	10	10
146 mm	-	42	62	with hole	44	37	29	22	17	15	14	14	11	11
				without hole	48	40	31	23	18	16	15	15	12	12
164 mm	-	42	62	with hole	50	42	33	25	19	17	16	16	13	13
				without hole	54	45	35	27	20	18	17	17	14	14


^{*}Stated values are approximate values that can vary, depending on font. Standard font is DIN 1451.

Standard sizes for printed and engraved signs

Below mentioned standard sizes match our fastening systems and tools. However, different sizes are available upon request.



InSTELLigent Products -Signs with Barcode, Data Matrix and RFID




In addition to the optical information on our signs, electronically readable information is applied to them as a reference. Both our printed and engraved signs can contain an OCR font, a barcode or a Data Matrix as integral part of the print, resp. engraving. Additionally, the usage of RFID technology is an interesting option for the industries of our customers. These intelligent signs come in all sorts of shapes and represent interfaces for maintenance and servicing works of plants and plant parts and the automated identification on pipes, networks and components. We can offer you an extensive selection of signs and basic materials to create your individual interface, so please do not hesitate to get in contact with us.

Data Matrix / OCR Code

The QR code, which is used often nowadays, can be especially well recognised by simple terminal devices, therefore offering an extensive range of applications. Even in rough environments, it is not very susceptible to contamination or scratching and it can still be read if up to 25% of it is damaged. The most important aspect for reliable readability is a suitable contrast between the underground and the Data Matrix which mainly depends on the on-site lighting conditions.

RFID

A step further with regard to automation and data exchange are RFID transponders. The RFID technology allows (process) information to be read, stored and overwritten in the transponder (at the installation location in the plant) without any physical contact. Any sign equipped with an RFID transponder can thus be uniquely identified without exception. Excellent adhesive quality and resistance also make our RFID signs suitable for use in harsher environments. And if you want to take this technology to the next level you should consider our new high-tech sign with integrated transponder – the R2D2 sign.






R2D2 - Ran-in RFID Durable Datasign

Our patented R2D2 sign has been developed to offer digital interfaces for all plant areas even in harsh conditions. One solution for any kind of intended usage.

R2D2 consists of reinforced high-performance plastic in which an RFID transponder is permanently embedded. The basic material can be engraved or printed so it represents a perfect advancement of already existing labelling means. Thanks to the combination of implemented materials and production method and the fixed connection between the transponder and the sign, R2D2 is likely to be today's most resilient intelligent labelling solution. To get the most out of the R2D2 technology we've adjusted the production method so that all signs will undergo a complete automated check. This way we can guarantee that the visual and digital information of the sign is always identical, ensuring the most important aspect of safe automatization – 100% reliability.


The benefits of R2D2 at a glance:

- Clear identification with a worldwide unique serial number
- 30 years of data security
- Standard frequency range of 13.56 MHz
- Guaranteed 100% match between text and data
- Temperature resistance from -40 °C to 150 °C
- Permanently embedded RFID transponder
- · Excellent writing and reading qualities
- No shielding effects from metal (MoM)
- Very good resistance to UV radiation
- Good resistance to acid and chemicals
- Perfectly matched to our fastening systems



Standard sizes of R2D2-signs





Slide-In System




The slide-in system combines the advantages of the original Stell "Stecksystem" and the product range for engraved and printed signs. Comprised of a slide-in profile, an engraved or printed insert as well as insertable symbols, it offers you flexibility and increased information density.

The printed or engraved signs are inserted into a slide-in profile and contain customer-specific information on plant operation and the pipe sequence, or additional information on test circuits, pipe pressure or the addresses. In addition, the flow direction, GHS pictograms, colours, etc. are slid and riveted as standard elements in alignment with our standard sizes. The slide-in system is particularly suitable for our customers who would like to personally handle and change their labelling, but at the same time want to show a lot of concentrated on-site information.







18 series Slide-in profile = 144 mm, half outer elements



- ls Inserts
 - See page 37, 37, 37, 37
- Sp Slide-in profiles See page 37, 37, 37
- Oe Outer elements
 - See page 37, 37, 37, 37
- Gs GHS pictograms
 - See page 37, 37, 37, 37
- Af Flow direction arrows
- See page 37, 37, 37, 37
- Sb Sign brackets
 - See page 37
- Pipe clamps
 - See page 37
 - Blind rivets See page 37







Scale 1:1

Serie ►

5 **A** 6 **A**









Letter count and distance of observation

06/09 18

27

36

Coding and text message represent the essence of a sign. The required length of the text depends on the desired, resp. the required height of the text and the resulting length of the sign. The following overview shows the relevant proportions for engraved and printed signs.

Font height (mm)	5	6	8	10	12	14	16	18	20	22
Distance of observation (m)	1,5	1,8	2,4	3	3,6	4,2	4,8	5,4	6	6,6

Length of inserts	Heigh	nt of inse	rts (mm)		Char	acter o	ount p	er line	**					
36 mm	-	_	_	74	11	9	7	5	4	3	3	3	2	2
54 mm	15	35	54	74	17	14	10	8	7	6	5	4	4	3
72 mm	15	35	54	74	23	19	14	11	9	8	7	6	5	5
81 mm	_	_	54	-	26	21	16	13	10	9	8	7	6	5
90 mm	15	35	54	74	29	24	18	14	12	10	9	8	7	6
99 mm	_	35	54	-	32	26	20	16	13	11	10	8	8	7
108 mm	15	35	54	74	35	29	21	17	14	12	10	9	8	7
117 mm	_	35	54	-	37	31	23	18	15	13	12	10	9	8
126 mm	15	35	54	74	40	34	25	20	17	14	12	11	10	9
135 mm	_	35	54	-	43	36	27	21	18	15	13	12	10	9
144 mm	15	35	_	74	46	38	29	23	19	16	14	12	11	10
153 mm	_	35	54	-	49	41	30	24	20	17	15	13	12	11
162 mm	-	35	54	74	52	43	32	26	21	18	16	14	13	11
171 mm	-	35	54	-	55	46	34	27	23	19	17	15	13	12
180 mm	-	35	54	74	58	48	36	29	24	20	18	16	14	13
189 mm	-	35	54	-	61	51	38	30	25	21	19	17	15	13
198 mm	-	35	54	74	64	53	40	32	26	22	20	17	16	14
207 mm	-	35	54	-	67	55	41	33	27	23	20	18	16	15
216 mm	-	35	54	74	69	58	43	34	29	24	21	19	17	15
225 mm	-	35	54	-	72	60	45	36	30	26	22	20	18	16
234 mm	_	35	54	74	75	63	47	37	31	27	23	21	18	17
243 mm	_	35	54	-	78	65	49	39	32	28	24	21	19	17
252 mm	_	35	54	74	81	68	51	40	34	29	25	22	20	18
261 mm	_	35	54	-	84	70	52	42	35	30	26	23	21	19
270 mm	_	35	54	74	87	72	54	43	36	31	27	24	21	19
279 mm	_	35	54	-	90	75	56	45	37	32	28	25	22	20
288 mm	_	35	54	74	93	77	58	46	38	33	29	25	23	21
297 mm	_	35	54	-	96	80	60	48	40	34	30	26	24	21
306 mm	_	35	54	74	99	82	61	49	41	35	31	27	24	22
315 mm	_	35	54	-	101	85	63	51	42	36	31	28	25	23
324 mm	-	35	54	74	104	87	65	52	43	37	32	29	26	23
333 mm	-	35	54	-	107	90	67	53	45	38	33	29	26	24
342 mm	_	35	54	74	111	92	69	55	46	39	34	30	27	25
351 mm	_	35	54	_	113	94	71	56	47	40	35	31	28	25
360 mm	_	-	-	74	116	97	72	58	48	41	36	32	29	26
369 mm	_	-	54	-	119	99	74	59	49	42	37	33	29	27
378 mm	_	-	54	-	122	102	76	61	51	43	38	34	30	27
396 mm	_	_	_	74	129	107	80	64	53	45	40	35	31	28
405 mm	_	_	54	-	131	109	81	65	54	46	41	36	32	29
414 mm	-	-	54	-	133	111	83	67	55	47	41	37	33	30
432 mm	-	_	54	74	139	116	87	70	58	50	43	38	35	31
441 mm	_	_	54	-	142	119	89	71	59	51	44	39	35	32
450 mm	-	_	54	74	145	121	91	72	60	52	45	40	36	33
459 mm	-	_	54	-	148	124	92	74	62	53	46	41	37	33
468 mm	-	_	54	74	151	127	94	75	63	54	47	42	37	34
477 mm	_	_	54	-	154	128	96	77	64	55	48	42	38	35
486 mm	_	_	54	_	157	131	98	78	65	56	49	43	39	35
504 mm		-	54	74	163	136	102	81	67	58	51	45	40	37
513 mm		_	54	-	166	138	103	83	69	59	51	46	41	37
540 mm	-	_	54	74	174	145	109	87	72	62	54	48	43	39
576 mm	-	-	-	74	186	155	116	93	77	66	58	51	46	42
*Stated values are appr								_	,,,	50	30	91	ru	7/

Please note: The max. character count might vary due to the different shapes of the characters. As standard for calculation, the letter "G" had been set for the fonts listed on the right side.

06/09 Series

Scale 1:1







Inserts

Standard sizes 54 up to 144 mm. Other sizes and prices on request.

Sp Slide-in profiles

Material		Quantity	Article
Chlorid free plastic P / Aluminium, anodised A		5 pieces	0002
Length	Length of insert*	Mat.	Mat.
72 mm	54 mm	Order-No. P 2008 Price P 2,75	A 1993 € 4,00
90 mm	72 mm	Order-No. P 2009 Price P € 3,00	A 1994 € 4,25
108 mm	90 mm	Order-No. P 2010 Price P 3,25	A 1995 € 4,50
126 mm	108 mm	Order-No. P 2011 € 3,50	A 1996 € 4,75
144 mm	126 mm	Order-No. P 2012 Price P 3,75	A 1997 € 5,00
162 mm	144 mm	Order-No. P 2013 Price P € 4,00	A 1998 € 5,25

^{*}The number of symbols takes into account that there are always two additional outer elements.

Fastening: see page 65



Outer elements

Order-No.

2119

2121

2129

€ 2,40

hole

Scale 1:1

9

15

Material Quantity Article Luxotherm® L / Aluminium, anodised A 15 pieces 0001 Water **DIN 2403** No colour RAL5005 RAL3001 Group 2 Group 3 Group 0 Mat. Design **2110** € 1,30 **2094** € 1,30 **2096** € 1,30 **2098** € 1,30 **2100** € 1,30 Order-No. L without Price **2078** € 2,40 hole Order-No. 2090 2074 2076 2080 € 2,40 € 2,40 Price € 2.40 € 2.40 Order-No. **2109** € 1,30 **2093** € 1,30 **2095** € 1,30 **2097** € 1,30 **2099** € 1,30 with Price Order-No. **2077** € 2,40 hole 2089 2073 2075 2079 Price € 2,40 € 2,40 € 2,40 € 2,40 Alkalis Additional and fixed materials Colour RAL4008 Black RAL8002 Group 8/9 Group 4/5 Group 6 Group 7 Design Mat. **2102** € 1,30 Order-No. 2104 2106 2108 2112 L € 1,30 € 1,30 € 1,30 without Order-No. hole 2082 2084 2086 2088 2092 € 2,40 € 2,40 € 2,40 € 2,40 Order-No. 2103 2105 2107 2111 2101 € 1,30 € 1,30 € 1,30 € 1,30 € 1,30 with Order-No. hole 2085 2091 2081 2083 2087 € 2,40 € 2,40 Fire Fighting NEN 3050 No colour Design Mat. Order-No. 2110 2144 2134 2136 2132 L Price € 1,30 € 1,30 € 1,30 € 1,30 € 1,30 without Order-No. 2090 2126 2116 2118 2114 € 2,40 € 2,40 € 2,40 € 2,40 € 2,40 Order-No. **2133** € 1,30 **2131** € 1,30 **2109** € 1,30 **2135** € 1,30 2143 € 1,30 with hole Order-No. 2089 2125 2115 2117 2113 € 2,40 € 2,40 € 2,40 Price Water Other Liquids Black Design Mat. Order-No. **2138** € 1,30 2148 2140 2146 2112 Price € 1,30 € 1,30 € 1.30 € 1.30 without **2120** € 2,40 hole Order-No. 2122 2130 2128 2092 € 2,40 € 2,40 € 2,40 Order-No. 2137 2139 2147 2145 2111 € 1,30 € 1,30 € 1,30 € 1,30 € 1,30 Price with


2091

€ 2,40


2127

€ 2,40


06/09 Series












54 up to 360 mm

Scale 1:1



Inserts


Standardgrößen 54 bis zu 360 mm. Andere Größen und Preise sind auf Anfrage erhältlich.


Slide-in profiles

Material			Qua	ntity	I	Article
Chlorid free plastic P / Alur	minium, anodised A		5 pie	eces	(0002
Length	Length of insert*		Mat.		Mat.	
72 mm	– / 54** mm	Order-No. Price	P	6782 € 3,20	Α	6778 € 4,65
90 mm	54 / 72** mm	Order-No. Price	•	6783 € 3,50	Α	6779 € 4,95
108 mm	72 / 90** mm	Order-No. Price		6784 € 3,80	Α	6780 € 5,25
126 mm	90 / 108** mm	Order-No. Price	-	6785 € 4,10	Α	6781 € 5,55
144 mm	108 / 126** mm	Order-No. Price	P	2036 € 4,40	Α	2023 € 5,85
162 mm	126 / 144** mm	Order-No. Price	P	2037 € 4,70	Α	2024 € 6,15
180 mm	144 / 162** mm	Order-No. Price	Р	2038 € 5,00	Α	2025 € 6,45
198 mm	162 / 180** mm	Order-No. Price	P	2039 € 5,30	Α	2026 € 6,75
216 mm	180 / 198** mm	Order-No. Price	P	2040 € 5,60	Α	2027 € 7,05
234 mm	198 / 216** mm	Order-No. Price	•	2041 € 5,90	Α	2028 € 7,35
252 mm	216 / 234** mm	Order-No. Price	P	2042 € 6,20	Α	2029 € 7,75
270 mm	234 / 252** mm	Order-No. Price	P	2043 € 6,50	Α	2030 € 8,05
288 mm	252 / 270** mm	Order-No. Price	P	2044 € 6,80	Α	2031 € 8,35
306 mm	270 / 288** mm	Order-No. Price	-	2045 € 7,10	Α	2032 € 8,65
324 mm	288 / 306** mm	Order-No. Price		2046 € 7,80	Α	2033 € 9,25
342 mm	306 / 324** mm	Order-No. Price	P	2047 € 8,40	Α	2034 € 9,85
360 mm	324 / 342** mm	Order-No. Price	P	2048 € 9,00	Α	2035 € 10,45

^{*} The number of symbols takes into account that there are always two additional outer elements.
** With half outer elements

Fastening: see page 65







Quantity

Article


GS GHS pictograms

Material


Scale 1:1 35


18


35 36




Flow direction arrows










Article

Quantity




Scale 1:1



54 bis zu 540 mm

Scale 1:1



Length

Inserts

Standard sizes 54 up to 540 mm. Other sizes and prices on request.

Sp Slide-in profiles

Material			Qua	ntity	Α	rticle
Chlorid free plastic P / Aluminium, anod	lised A		5 pie	eces	0	800
Length	Length of insert*		Mat.		Mat.	
108 mm	54 / 81** mm	Order-N e Price	•	6812 € 4,30	Α	6794 € 6,30
126 mm	72 / 99** mm	Order-No Price	-	22066 € 4,65	Α	22059 € 6,40
144 mm	90 / 117** mm	Order-No Price	-	22067 € 5,00	Α	22060 € 6,75
162 mm	108 / 135** mm	Order-No Price). P	544 € 5,35	Α	536 € 7,35
180 mm	126 / 153** mm	Order-No Price	о. Р	22068 € 5,70	Α	22061 € 7,80
198 mm	144 / 171** mm	Order-No Price). P	22069 € 6,05	Α	22062 € 8,15
216 mm	162 / 189** mm	Order-No Price). P	545 € 6,40	Α	537 € 8,50
234 mm	180 / 207** mm	Order-No Price). Р	22070 € 6,75	Α	22063 € 8,85
252 mm	198 / 225** mm	Order-No Price). P	22071 € 7,10	Α	22064 € 9,20
270 mm	216 / 243** mm	Order-No Price	о. Р	546 € 7,45	Α	538 € 9,55
288 mm	234 / 261** mm	Order-No Price). P	6813 € 7,90	Α	6795 € 10,10
306 mm	252 / 279** mm	Order-No Price). P	6814 € 8,25	Α	6796 € 10,65
324 mm	270 / 297** mm	Order-No Price). P	547 € 8,60	Α	539 € 11,20
342 mm	288 / 315** mm	Order-No Price	•	6815 € 8,95	Α	6797 € 11,75
360 mm	306 / 333** mm	Order-No Price	-	6816 € 9,30	Α	6798 € 12,30
378 mm	324 / 351** mm	Order-N e Price		548 € 9,65	Α	540 € 12,85
396 mm	342 / 369** mm	Order-No Price	-	6817 € 10,00	Α	6799 € 13,40
432 mm	378 / 405** mm	Order-No Price). Р	549 € 10,25	Α	541 € 13,95
468 mm	414 / 441** mm	Order-No Price). Р	6818 € 10,70	Α	6800 € 14,50
486 mm	432 / 459** mm	Order-No Price). Р	550 € 11,40	Α	542 € 16,75
504 mm	450 / 477** mm	Order-No Price). Р	6819 € 12,10	Α	6801 € 17,85
540 mm	486 / 513** mm	Order-N o Price). Р	551 € 12,80	Α	543 € 18,95


 $^{^{\}star}$ The number of symbols takes into account that there are always two additional outer elements. ** With half outer elements

Outer elements







Scale 1:2



GS GHS pictograms




Flow direction arrows



Material					Quantity	Article
Luxotherm® L /	' Aluminium, anodi	sed A			10 pieces	0009
Mat.						
Order-No. Price	484 € 2,60	485 € 2,60	30307 € 2,60	30308 € 2,60		
Order-No. Price	459 € 5,20	460 € 5,20	30305 € 5,20	30306 € 5,20		








Scale 1:1



36 up to 576 mm

Scale 1:1




Inserts


Standard sizes 36 up to 576 mm. Other sizes and prices on request.

Slide-in profiles

Material			Qua	ntity	A	rticle
Chlorid free plastic P / Aluminium, anodised	A		5 pie	eces	0	800
Length	Length of insert*		Mat.		Mat.	
108 mm	36 / 72** mm	Order-No. Price	P	6820 € 5,05	Α	6802 € 7,45
126 mm	54 / 90** mm	Order-No. Price	P	6821 € 5,35	Α	6803 € 7,95
144 mm	72 / 108** mm	Order-No. Price	P	566 € 5,65	Α	552 € 8,35
162 mm	90 / 126** mm	Order-No. Price	P	6822 € 5,95	Α	6804 € 8,75
180 mm	108 / 144** mm	Order-No. Price	P	567 € 6,25	Α	553 € 9,15
198 mm	126 / 162** mm	Order-No. Price	P	6823 € 6,55	Α	6805 € 9,55
216 mm	144 / 180** mm	Order-No. Price	-	568 € 6,85	Α	554 € 9,95
234 mm	162 / 198** mm	Order-No. Price	-	6825 € 7,15	Α	6806 € 10,25
252 mm	180 / 216** mm	Order-No. Price	-	569 € 7,45	Α	555 € 10,75
270 mm	198 / 234** mm	Order-No. Price	-	6826 € 7,85	A	6807 € 11,15
288 mm	216 / 252** mm	Order-No. Price	P	570 € 8,15	Α	556 € 11,55
306 mm	234 / 270** mm	Order-No. Price	P	6827 € 8,45	Α	6808 € 11,95
324 mm	252 / 288** mm	Order-No. Price	-	571 € 8,75	Α	557 € 12,75
342 mm	270 / 306** mm	Order-No. Price	•	6828 € 9,05	Α	6809 € 13,55
360 mm	288 / 324** mm	Order-No. Price	-	572 € 9,35	Α	558 € 14,35
378 mm	306 / 342** mm	Order-No. Price	-	6829 € 9,65	Α	6810 € 15,15
396 mm	324 / 360** mm	Order-No. Price	-	573 € 9,95	Α	559 € 17,10
432 mm	360 / 396** mm	Order-No. Price		574 € 10,25	Α	560 € 18,70
468 mm	396 / 432** mm	Order-No. Price		575 € 10,55	Α	561 € 20,30
486 mm	414 / 450** mm	Order-No. Price	-	6830 € 10,85	Α	6811 € 21,90
504 mm	432 / 468** mm	Order-No. Price	-	576 € 11,15	Α	562 € 23,50
540 mm	468 / 504** mm	Order-No. Price		577 € 11,45	Α	563 € 25,90
576 mm	504 / 540** mm	Order-No. Price	P	578 € 12,05	Α	564 € 28,30
612 mm	540 / 576** mm	Order-No. Price	P	579 € 12,65	Α	565 € 30,70

^{*}The number of symbols takes into account that there are always two additional outer elements. **With half outer elements









Scale 1:1


36

GS GHS pictograms



Flow direction arrows





36

sales@stell.com | Prices without tax

53

Pipe Labelling - Stickers and Tapes



Proper pipe identification not only poses fewer potential risks for your employees, but it also facilitates repair and maintenance work in industrial plants and power stations. At the very least, and in accordance with the German regulation TRGS 201 ("Technical Rules for Hazardous Substances" 201), pipes must be labelled with the fluid conveyed and the flow direction. With our product range and know-how, we also provide our customers with the certainty that their labelling meets the requirements of DIN 2403.

Product overview:

- Pipe markers cost-effective solution for pipes with a small labelling area
- Colour tape individually labelling of pipes according to the fluid conveyed
- Arrow tape individually labelling of pipes according to the flow direction
- **Text tape** readable from all sides because they are completely wrapped around the pipe
- GHS tape for labelling hazardous substances in accordance with the GHS regulation

Specifics of our Pipe Markers and Tapes:

- Flame-resistant
- · Self-extinguishing
- Extreme adhesive power
- · Mostly resistant against acid and alkaline substances
- UV resistant
- Can be applied at temperatures of 5°C to 45°C
- Resistant to temperatures of $-20\,^{\circ}\text{C}$ to $-110\,^{\circ}\text{C}$
- Mostly solvent resistant
- Weatherproof

You can of course also label your pipes with the array of products from the slide-in system or printed and engraved signs. Contact us – we will gladly find the best solution for you.





Pipe markers

Material	Temperature resistance	Quantity
Foil	-20 - 110°C	1 piece

DIN 2403

Application	Colour	Additional colour	Text colour
Oxygen	RAL5005	-	RAL9003 (white)
Water	RAL6032	-	RAL9003 (white)
Steam	RAL3001	-	RAL9003 (white)
Air	RAL7004	-	RAL9004
Flammable gases	RAL1003	RAL3001	RAL9004
Non flammable gases	RAL1003	RAL9004	RAL9004
Acids	RAL2010	-	RAL9004
Alkalis	RAL4008	-	RAL9003 (white)
Flammable liquids and fixed materials	RAL8002	RAL3001	RAL9003 (white)
Non flammable liquids and fixed materials	RAL8002	RAL9004	RAL9003 (white)

NEN 3050

Application	Colour
Alkalis	RAL4001
Fire fighting	RAL3000
Gases and liquid gases	RAL1004
Air	RAL5012
Oils and flammable liquids	RAL8001
Other liquids	RAL9004
Steam	RAL9006
Water	RAL6010
Acids (based on a recommendation of NWS)	RAL2008

Distance of observation

The formula for calculating the distance of observation is:

$D = h \times Z$


- D = distance of observation in m,
- h = font heigth in mm,
- Z = distance factor: 300 for letters and symbols 40 for safety symbols

Dimensions and distance of observation



Width

Width x Height (mm)	110 x 18	156 x 25	227 x 37	402 x 52	450 x 73	720 x 116
Font height (mm)	12	17	25	29	50	80
Distance of observation (m)	3,6	5,1	7,5	8,7	15	24





Colour tapes

DIN 2403

Material	Temperature resistance	Quantity	Article
Foil	−20 − 110°C	1 piece	0004


Width x Length	Application	Colour	
W x 25 Meter	Sauerstoff	RAL5005	
W x 25 Meter	Wasser	RAL6032	
W x 25 Meter	Wasserdampf	RAL3001	
W x 25 Meter	Luft	RAL7004	
W x 25 Meter	Gase	RAL1003	
W x 25 Meter	Säuren	RAL2010	
W x 25 Meter	Laugen	RAL4008	
W x 25 Meter	Flüssigkeiten u. Feststoffe	RAL8002	
W x 25 Meter	Feuerlöscheinrichtung wasserführend	RAL3001	RAL6032
W x 25 Meter	Feuerlöscheinrichtung gasführend	RAL3001	RAL1003
W x 25 Meter	Feuerlöscheinrichtung dampfführend	RAL3001	RAL3001
W x 25 Meter	Feuerlöscheinrichtung sonstige	RAL3001	RAL9004

	W = 35 mm	W = 75 mm	W = 150 mm
Order-No. Price	903 € 42,00	915 € 79,00	927 € 140,00
Order-No. Price	904 € 42,00	916 € 79,00	928 € 140,00
Order-No. Price	905 € 42,00	917 € 79,00	929 € 140,00
Order-No. Price	906 € 42,00	918 € 79,00	930 € 140,00
Order-No. Price	907 € 42,00	919 € 79,00	931 € 140,00
Order-No. Price	908 € 42,00	920 € 79,00	932 € 140,00
Order-No. Price	909 € 42,00	921 € 79,00	933 € 140,00
Order-No. Price	910 € 42,00	922 € 79,00	934 € 140,00
Order-No. Price	911 € 42,00	923 € 79,00	935 € 140,00
Order-No. Price	912 € 42,00	924 € 79,00	936 € 140,00
Order-No. Price	913 € 42,00	925 € 79,00	937 € 140,00
Order-No. Price	914 € 42,00	926 € 79,00	938 € 140,00

NEN 3050

Width x Length	Application	Colour
W x 25 Meter	Laugen und Basen	RAL4001
W x 25 Meter	Feuerlöschmedien	RAL3000
W x 25 Meter	Gase und flüssige Gase	
W x 25 Meter	Luft und Vakuum	RAL5012
W x 25 Meter	Öle und brennbare Flüssigkeiten	RAL8001
W x 25 Meter	Andere Flüssigkeiten	RAL9004
W x 25 Meter	Dampf	
W x 25 Meter	Wasser	RAL6010
W x 25 Meter	Säuren (nach Empfehlung der NWS)	RAL2008

	W = 35 mm	W = 75 mm	W = 150 mm
Order-No. Price	939 € 42,00	948 € 79,00	957 € 140,00
Order-No. Price	940 € 42,00	949 € 79,00	958 € 140,00
Order-No. Price	941 € 42,00	950 € 79,00	959 € 140,00
Order-No. Price	942 € 42,00	951 € 79,00	960 € 140,00
Order-No. Price	943 € 42,00	952 € 79,00	961 € 140,00
Order-No. Price	944 € 42,00	953 € 79,00	962 € 140,00
Order-No. Price	945 € 42,00	954 € 79,00	963 € 140,00
Order-No. Price	946 € 42,00	955 € 79,00	964 € 140,00
Order-No. Price	947 € 42,00	956 € 79,00	965 € 140,00







Arrow tapes

Material	Temperature resistance	Quantity	Article
Foil	-20 - 110°C	1 piece	0006


DIN 2403			
Width x Length	Application	Bandfarbe	Pfeilfarbe
W x 25 Meter	Sauerstoff	RAL5005	\rightarrow
W x 25 Meter	Wasser	RAL6032	\rightarrow
W x 25 Meter	Wasserdampf	RAL3001	\rightarrow
W x 25 Meter	Luft	RAL7004	\rightarrow
W x 25 Meter	brennbare Gase	RAL1003	\Longrightarrow
W x 25 Meter	nicht brennbare Gase	RAL1003	\rightarrow
W x 25 Meter	Säuren	RAL2010	\rightarrow
W x 25 Meter	Laugen	RAL4008	\rightarrow
W x 25 Meter	Brennbare Flüssigkeiten/Feststoffe	RAL8002	
W x 25 Meter	Nicht brennbare Flüssigkeiten/ Feststoffe	RAL8002	$ \longrightarrow$
W x 25 Meter	Richtungsangabe	No colour	\rightarrow
W x 25 Meter	Richtungsangabe	No colour	\rightarrow

	W = 35 mm	W = 75 mm	W = 150 mm
Order-No. Price	811 € 42,00	831 € 79,00	851 € 140,00
Order-No. Price	812 € 42,00	832 € 79,00	852 € 140,00
Order-No. Price	813 € 42,00	833 € 79,00	853 € 140,00
Order-No. Price	814 € 42,00	834 € 79,00	854 € 140,00
Order-No. Price	815 € 42,00	835 € 79,00	855 € 140,00
Order-No. Price	816 € 42,00	836 € 79,00	856 € 140,00
Order-No. Price	817 € 42,00	837 € 79,00	857 € 140,00
Order-No. Price	818 € 42,00	838 € 79,00	858 € 140,00
Order-No. Price	819 € 42,00	839 € 79,00	859 € 140,00
Order-No. Price	820 € 42,00	840 € 79,00	860 € 140,00
Order-No. Price	821 € 42,00	841 € 79,00	861 € 140,00
Order-No. Price	35281 € 42,00	35282 € 79,00	35283 € 140,00

NEN 3050

Width x Length	Application	Wandfarbe	Pfeilfarbe
W x 25 Meter	Laugen und Wasen	RAL4001	\rightarrow
W x 25 Meter	Feuerlöschmedien	RAL3000	\rightarrow
W x 25 Meter	Gase und flüssige Gase	RAL1004	→
W x 25 Meter	Luft und Vakuum	RAL5012	\rightarrow
W x 25 Meter	Öle und brennbare Flüssigkeiten	RAL8001	\rightarrow
W x 25 Meter	Andere Flüssigkeiten	RAL9004	
W x 25 Meter	Dampf	RAL9006	\rightarrow
W x 25 Meter	Wasser	RAL6010	→
W x 25 Meter	Säuren (nach Empfehlung der NWS)	RAL2008	

	W = 35 mm	W = 75 mm	W = 150 mm
Order-No. Price	822 € 42,00	842 € 79,00	862 € 140,00
Order-No. Price	823 € 42,00	843 € 79,00	863 € 140,00
Order-No. Price	824 € 42,00	844 € 79,00	864 € 140,00
Order-No. Price	825 € 42,00	845 € 79,00	865 € 140,00
Order-No. Price	826 € 42,00	846 € 79,00	866 € 140,00
Order-No. Price	827 € 42,00	847 € 79,00	867 € 140,00
Order-No. Price	828 € 42,00	848 € 79,00	868 € 140,00
Order-No. Price	829 € 42,00	849 € 79,00	869 € 140,00
Order-No. Price	830 € 42,00	850 € 79,00	870 € 140,00





Text tapes

Material	Temperature resistance	Quantity
Foil	-20 - 110°C	1 piece

DIN 2403

Width x Length	Application	Colour	W = 35 mm	W = 75 mm	W = 150 mm
W x 25 Meter	Oxygen	RAL5005			
W x 25 Meter	Water	RAL6032			
W x 25 Meter	Steam	RAL3001			
W x 25 Meter	Air	RAL7004			
W x 25 Meter	Flammable gases	RAL1003			
W x 25 Meter	Non flammable gases	RAL1003		All prices on request on request	
W x 25 Meter	Acids	RAL2010			
W x 25 Meter	Alkalis	RAL4008			
W x 25 Meter	Flammable liquids and fixed materials	RAL8002			
W x 25 Meter	Non flammable liquids and fixed materials	RAL8002			
W x 25 Meter	Direction	No colour			

NEN 3050

Width x Length	Application	Colour	W = 35 mm	W = 75 mm	W = 150 mm
W x 25 Meter	Alkalis	RAL4001			
W x 25 Meter	Fire fighting	RAL3000			
W x 25 Meter	Gases and liquid gases	RAL1004			
W x 25 Meter	Air	RAL5012			
W x 25 Meter	Oils and flammable liquids	RAL8001		All prices on request on request	
W x 25 Meter	Other liquids	RAL9004	on roquoot		
W x 25 Meter	Steam	RAL9006			
W x 25 Meter	Water	RAL6010			
W x 25 Meter	Acids (recommendation of NWS)	RAL2008			







GHS tapes

Material				Temperatu	re resistance	Quantity	Article
Foil				-20 - 110°	°C	1 piece	0005
Width x Length	1	GHS 01	GHS 02	GHS 03	GHS 04	GHS 05	GHS 06
35 mm x 25 Meter	Order-No. Price	871 € 42,00	872 € 42,00	873 € 42,00	874 € 42,00	875 € 42,00	876 € 42,00
75 mm x 25 Meter	Order-No. Price	882 € 79,00	885 € 79,00	888 € 79,00	890 € 79,00	893 € 79,00	895 € 79,00
150 mm x 25 Meter	Order-No. Price	33272 € 140,00	33273 € 140,00	33274 € 140,00	33275 € 140,00	33276 € 140,00	33277 € 140,00
<i>Width x Length</i> 35 mm x	Order-No.	GHS 07 877	GHS 08 878	GHS 09 879			
25 Meter	Price	€ 42,00	€ 42,00	€ 42,00			
75 mm x 25 Meter	Order-No. Price	897 € 79,00	900 € 79,00	902 € 79,00			
150 mm x	Order-No.	33278	33279	33280			





Module system and adhesive film stickers

Our module system allows for flexible combinations of all pipe labelling stickers and tapes. You can combine different pipe labelling variants (colour, arrow and GHS tapes) and complement with an adhesive film sticker. The size of this, sticker showing the actual name of the substance within the pipe, can be adjusted individually. The height of the font is determined according to available place and diameter of the pipe and requested distance of observation in order to ensure the readability of the information even from great distance.





Tank Labelling





Tanks containing hazardous substances must be labelled according to German regulation TRGS 201 in order to ensure correct identification of the contents. The information must be mounted in a clearly visible, safe and durable manner. On the one hand, this aids in the work of your responsible employees, and on the other, easy-to-read and quickly comprehensible labels facilitate the tasks that fire brigades and rescue workers perform in emergency situations.

Using various designs, we adapt the labelling to suit your situation on site. As a rule, flexible basic materials or films are printed in combination with the desired information on the tanks' contents and the necessary hazard indicators. In doing so, the size of the labelling should be adapted not only to the on-site conditions and installation location, but also to the bend in the base area and the desired observations distance. In Germany, it is mandatory to label and tanks with

GHS pictograms. In addition, some tanks are furnished with hazardous diamonds or safety and identification numbers according to their hazard class, displaying the relevant hazards. Furthermore, information about volume, inner pressure or a numeric order might be required. We are prepared to address you individual needs regarding contents, manufacturing and fastening.



NFPA 704 Hazard Diamond

Standard System for the Identification of the Hazard of Materials for Emergency Response


In case of accidents involving hazardous substances, the hazard diamond helps safety and rescue forces to immediately evaluate possible dangers. The hazard diamond shows four coloured fields: blue for safety hazards, red for flammability, yellow for instable substances and a white field at the bottom for specific warning information.

Health Hazard 0 Poses no health hazard Minor hazard | breathing apparatus recommended 2 Dangerous | Wear light protective clothing and breathing apparatus in danger zone Very dangerous | Wear full protective clothing and breathing apparatus in danger zone 3 4 Can be lethal | Avoid any contact with vapours or liquids without suitable protective equipment Flammability 0 Materials will not burn under typical conditions 1 Materials require considerable preheating before ignition / combustion can occur 2 Materials must be moderately heated before ignition can occur 3 Materials can be ignited under almost all ambient temperature 4 Materials will burn readily at normal temperatures

Instability

0	Normally stable
1	Can become unstable at elevated temperatures Protection measures required
2	Violent chemical reaction possible; advanced protection measures required; execute fire-fighting only from safe distance
3	Capable of detonation or explosive decomposition when heated or severely shocked; establish a safety zone; execute fire-fighting only from safe distance
4	Readily capable of detonation or explosive decomposition; establish a safety zone; evacuate area in case of fire
(empty)	Use water as extinguishing agent

(empty)	Use water as extinguishing agent	
W	Do not use water as extinguishing agent	
ОХ	Oxidizer, chemicals burn without air supply	
ACID	Strong acid	
ALK	Strong base	
COR	Strong corrosive	
BIO	Biological hazard	
4.4	Radioactive hazard	























Pre-labelling

Pre-labelling tags make things easier for both you and us. They are installed as temporary labels in the plant during construction and renovation works and are then replaced by the significantly more durable and uniformly recognisable plant labelling upon the launch of plant operations or thereafter. For this temporary application, we offer you a good price-performance ratio with regard to durability, ease of use and cost.



Pre-labelling tags

Quantity	Article
100 pieces	0010
Mat.	Mat.
Order-No. P 271 Price P € 16,10	S 277 € 27,60
Order-No. P 272	S 278 € 27,60
Order-No. P 273	S 279 € 27,60
Order-No. P 274 Price € 16,10	S 280 € 27,60
Order-No. P 275	S
Order-No. P 276	s _
	Mat. Mat. Order-No. P 271 € 16,10 Order-No. P 272 € 16,10 Order-No. P 273 € 16,10 Order-No. P 274 € 16,10 Order-No. P 275 € 16,10



Plomben

Material	Quantity	Article
Lead	1 piece	0019
Application		
For sealing wire	Order-No. Price	14505 € 0,30



Sealing wire

Material			Quai	itity	А	rticle
Galvanised steel S / Stainless steel S			100 إ	pieces	0	020
Length	Application		Mat.		Mat.	
230 mm	Pre-labelling tags	Order-No. Price	S	101 € 4,20	S	100 € 18,90



Fastening and Accessories

In order for a sign to aid in providing comprehension, safety and orientation, it must be properly installed. Our fastening products therefore offer the right solution for each of our plant labelling systems. Tried, tested and durable, the different sizes and types of signs can be fastened to the necessary installation points in a clearly visible manner.

Our sign-bracket, which comes in various designs, serves as the base. It matches the sizes and perforations of our original Stell "Stecksystem", the slide-in system and the standardised dimensions of the engraved and printed signs. The sign-bracket is fixed with our pipe clamp, which allows for reliable labelling that is gentle on the object to which it is attached. Our range is broadened by additional fastenings and fastening accessories. For further questions regarding our products our sales team is always at your disposal.



Sign brackets

	al									Qua	ntity	Α	rticle
Aluminii	um AIMg 3 🛭	/ Stainless	stee	S						1 pie	ce	0	015
Height	Length		Mat.		Mat.		Height	Length		Mat.		Mat.	
	52 mm	Order-No. Price	Α	19924 € 1,30	S	19895 € 1,80		52 mm	Order-No. Price	Α	21371 € 1,30	S	20418 € 1,90
	70 mm	Order-No. Price	Α	181 € 1,35	S	197 € 1,85		70 mm	Order-No. Price	Α	187 € 1,40	S	203 € 1,95
	88 mm	Order-No. Price	Α	182 € 1,40	S	198 € 1,90		88 mm	Order-No. Price	Α	188 € 1,45	S	204 € 2,00
	106 mm	Order-No. Price	Α	183 € 1,45	S	199 € 1,95		106 mm	Order-No. Price	Α	189 € 1,50	S	205 € 2,05
	124 mm	Order-No. Price	Α	184 € 1,50	S	200 € 2,00		124 mm	Order-No. Price	Α	190 € 1,55	S	206 € 2,10
	142 mm	Order-No. Price	Α	185 € 1,55	S	201 € 2,05		142 mm	Order-No. Price	Α	191 € 1,70	S	207 € 2,30
18 mm	160 mm	Order-No. Price	Α	186 € 1,60	S	202 € 2,10	29 mm	160 mm	Order-No. Price	Α	192 € 1,80	S	208 € 2,40
	178 mm	Order-No. Price	Α	123 € 2,40	S	152 € 2,70		178 mm	Order-No. Price	Α	129 € 2,50	S	158 € 3,20
	196 mm	Order-No. Price	Α	124 € 2,50	S	153 € 2,80		196 mm	Order-No. Price	Α	130 € 2,70	S	159 € 3,40
	214 mm	Order-No. Price	Α	125 € 2,60	S	154 € 2,90		214 mm	Order-No. Price	Α	131 € 2,80	S	160 € 3,50
	232 mm	Order-No. Price	Α	126 € 2,70	S	155 € 3,00		232 mm	Order-No. Price	Α	132 € 3,00	S	161 € 3,70
	250 mm	Order-No. Price	Α	127 € 2,80	S	156 € 3,10		250 mm	Order-No. Price	Α	133 € 3,10	S	162 € 3,80
	268 mm	Order-No. Price	Α	128 € 2,90	S	157 € 3,30		268 mm	Order-No. Price	Α	134 € 3,30	S	163 € 4,00
Height	Length		Mat.		Mat.		Height	Length		Mat.		Mat.	
	88 mm	Order-No. Price	Α	135 € 1,50	S	164 € 2,10		88 mm	Order-No. Price	Α	6775 € 1,60	S	6776 € 2,30
	106 mm	Order-No. Price	Α	136 € 1,60	S	165 € 2,20		106 mm	Order-No. Price	Α	193 € 1,70	S	209 € 2,40
40 mm	124 mm	Order-No. Price	Α	137 € 1,65	S	166 € 2,30		124 mm	Order-No. Price	Α	194 € 1,80	S	210 € 2,50
	142 mm	Order-No. Price	Α	138 € 1,80	S	167 € 2,40		142 mm	Order-No. Price	Α	195 € 2,00	S	211 € 2,70
	160 mm	Order-No. Price	Α	139 € 1,90	S	168 € 2,60		160 mm	Order-No. Price	Α	196 € 2,30	S	212 € 2,90
							49 mm	178 mm	Order-No. Price	Α	146 € 2,60	S	175 € 3,50
								196 mm	Order-No. Price	Α	147 € 3,00	S	176 € 3,90
									Order-No.				
								214 mm	Price	Α	148 € 3,50	S	177 € 4,40
								214 mm 232 mm				S	€ 4,40 178
									Price Order-No.	Α	€ 3,50 149	_	€ 4,40



Pc Pipe clamps

Material		Quantity		Article
Stainless steel S		25 pieces	(0012
Breite	Spannbereich		Mat.	:
	Ø 08 - 12 mm	Order-No. Price	S	243 € 24,80
	Ø 10 - 16 mm	Order-No. Price	S	244 € 25,30
	Ø 12 - 20 mm	Order-No. Price	S	245 € 25,9
	Ø 16 - 25 mm	Order-No. Price	S	246 € 27,50
	Ø 20 - 32 mm	Order-No. Price	S	247 € 29,2
	Ø 25 - 40 mm	Order-No. Price	S	248 € 30,8
	Ø 32 - 50 mm	Order-No. Price	S	249 € 32,5
	Ø 40 - 60 mm	Order-No. Price	S	250 € 34,1
	Ø 50 - 70 mm	Order-No. Price	S	251 € 35,8
	Ø 60 - 80 mm	Order-No. Price	S	252 € 37,4
	Ø 70 - 90 mm	Order-No. Price	S	253 € 39,1
	Ø 80 - 100 mm	Order-No. Price	S	254 € 40,7
9 mm	Ø 90 - 110 mm	Order-No. Price	S	255 € 42,4
	Ø 100 - 120 mm	Order-No. Price	S	256 € 44,0
	Ø 110 - 130 mm	Order-No. Price	S	257 € 49,5
	Ø 130 - 150 mm	Order-No. Price	S	258 € 57,2
	Ø 150 - 170 mm	Order-No. Price	S	259 € 64,9
	Ø 170 - 190 mm	Order-No. Price	S	260 € 72,6
	Ø 190 - 210 mm	Order-No. Price	S	261 € 80,3
	Ø 210 - 230 mm	Order-No. Price	S	262 € 88,0
	Ø 230 - 250 mm	Order-No. Price	S	263 € 96,8
	Ø 250 - 270 mm	Order-No. Price	S	264 € 105,
	Ø 270 - 290 mm	Order-No. Price	S	32111 € 114,
	Ø 290 - 310 mm	Order-No. Price	S	265 € 123,
	Ø 310 - 330 mm	Order-No. Price	S	32112 € 132,






Cable ties

Quantity	Article
25 pieces	0011
Order-No. Price	266 € 1,40
Order-No. Price	267 € 3,50
Order-No. Price	33844 € 9,40
Order-No. Price	268 € 16,30
Order-No. Price	269 € 30,10
Order-No. Price	270 € 42,60
	Order-No. Price Order-No.



Adhesive foam tape

Material		Qι	ıantity	Article
Polyethylene foam		1 ;	oiece	0021
Breite	Application		Length 10 m	Length 50 m
9 mm, perforated	45 series	Order-No. Price	89 € 14,60	-
19 mm, perforated	06/09 series	Order-No. Price	90 € 16,20	-
38 mm	18 series	Order-No. Price	92 € 17,90	6856 € 86,40
58 mm	27 series	Order-No. Price	6858 € 19,50	98 € 95,10
78 mm	36 series	Order-No. Price	6859 € 24,90	99 € 107,00



Locks for hanger straps

Material	Quantity	Article
Polyamide P / Stainless steel S	25 pieces	0014
Application		Mat.
For 8 mm smoothed polyamide band	Order-No. Price	P 218 € 8,40
For 7 mm embossed stainless steel band	Order-No. Price	s 213 € 25,90
For 9 mm embossed stainless steel band	Order-No. Price	s 215 € 28,50



Hanger straps

Material		Quantity	Article
Stainless steel S / Polyamide	P	1 piece	0013
Width x Length	Design		Mat.
7 mm x 25 m	Embossed	Order-No. Price	S 219 € 38,90
9 mm x 30 m	Embossed	Order-No. Price	s 221 € 41,00
8 mm x 50 m	Smooth	Order-No. Price	P 223 € 46,00



Steel band, PVC coated

Material			Qu	antity	Article
Galvanised steel S / Stainless steel S			1 p	iece	0022
Diameter	Design		1 m	100 m	125 m
Ø 2 mm	Steel/plastic	Order-No. Price	14529 € 1,30	87 € 127,50	-
9 2 IIIII	Stainless steel/plastic	Order-No. Price	14531 € 1,40	-	47510 € 153,90



Seals

Material	Quantity	Article
Aluminium AIMg 3 A / Stainless steel S	1 piece	0019
Application		Mat.
For coated steel and coated stainless steel band	Order-No. Price	A 14507 € 0,10
For ball chains	Order-No. Price	s 14508 € 0,30



Br Blind rivets

Material				Quantity		Article
Aluminium A	/ Plastic P / Stainless st	teel S		500 pieces		0018
Width x Height	Application	Material sleeve	Material pen		Mat.	
3,0 x 4,5 mm	For bondings	Plastic	Plastic	Order-No. Price	P / P	109 € 25,20
3,0 x 5,5 mm	For direct riveting	Plastic	Plastic	Order-No. Price	P / P	116 € 26,30
3,0 x 4,0 mm	For bondings	Aluminium	Stainless steel	Order-No. Price	A / S	106 € 35,70
3,2 x 7,9 mm	For direct riveting	Aluminium	Stainless steel	Order-No. Price	A / S	110 € 36,80





Bar holders

Material		Quan	tity		Α	rticle
Aluminium AIMg 3 A / Stainless steel S		10 pie	ces		0	023
Width x Length	Hole		Mat.		Mat.	
	Ø 8,5 mm	Order-No. Price	Α	82 € 13,10	S	77 € 18,50
	Ø 10,5 mm	Order-No. Price	Α	83 € 13,10	S	78 € 18,50
30 x 110 mm	Ø 12,5 mm	Order-No. Price	Α	84 € 13,10	S	79 € 18,50
	Ø 16,5 mm	Order-No. Price	Α	85 € 13,10	S	80 € 18,50
	Ø 20,5 mm	Order-No. Price	Α	86 € 13,10	S	81 € 18,50
30 x 120 mm	Open	Order-No. Price	Α	11114 € 13,20	S	11113 € 18,60



Fastening cubes

Material		(Quantity	Article
Aluminium A / Stainless steel S		2	20 pieces	0017
Width x Height x Depth	Application		Mat.	Mat.
15 x 15 x 15 mm	For pipe marking	Order-No. Price	A 117 € 14,70	s 118 € 17,90



Keyrings

Material	Quantity	Article
Steel nickel-plated S / Stainless steel S	1 piece	0104
Diameter	Mat.	Mat.



Ball chain

Material	Quantity		Article
Stainless steel S	1 piece		0022
Diameter x Length			
Ø 2 mm x 15 cm	Order-No. Price	S	14526 € 1,00
Ø 2 mm x 1 m	Order-No. Price	S	14527 € 3,80
Ø 2 mm x 50 m	Order-No. Price	S	14528 € 135,00



Link chain

Material		Quai	ntity	Α	rticle
Steel nickel-plated S / Stainless steel S		1 pie	ce	0	022
Diameter x Length		Mat.		Mat.	
Ø 8 mm x 1 m	Order-No. Price	S	30233 € 2,60	S	30232 € 7,30



Cartridge skeleton gun

	Quantity	Article
	1 piece	0091
Application		
	Order-No.	5456



Rivet gun

	Quantity	Article
	1 piece	0091
Application		
For all riveting work	Order-No. Price	6770 € 42,20



Rivet removing gun

	Quantity	Article
	1 piece	0091
Application		
Application		F 4F F
For loosening of riveted joints	Order-No. Price	5455 € 210,60





Tool for tension /cutting

	Quantity	Article
	1 piece	0091
Application		
For processing the polyamide hanger strap	Order-No. Price	5674 € 264,60



Glue


		Quantity	Article
		1 piece	0091
Design	Application		
Cartridge, 310 ml	For the assembly of signs, transparent	Order-No. Price	47477 € 17,30



Cleaner sprays

	Quantity	Article
	1 piece	0091
Application		
For degreasing metallic surfaces, glass and ceramics	Order-No.	33847
(check suitability before use)	Price	€ 12,50
For cleaning heavily soiled surfaces	Order-No.	33848
	Price	€ 7,10
	(check suitability before use)	Application For degreasing metallic surfaces, glass and ceramics (check suitability before use) Order-No. Price

Plans for Process Engineering



When it comes to plant labelling, our business approach also includes the documentation of our work and your plant. If desired, we can work with our in-house CAD department to prepare your identification System for Power Stations (KKS) according to the latest revision. Complete and current documentation give you the security you need for plant operation. By using a complete historical reproduction of changes in the plant as well as the documentation of the current situation, operational safety can be increased in accident and emergency situations.

Our employees will compare existing P&IDs with the current state (as-built-check) in the plant. This way, missing components can be supplemented, components that have been dismantled (e.g. as a result of renovation) can be removed and missing data can be gathered for your database. The documentation then depicts the actual condition of your plant and, using the revised P&IDs, we can assign both the quantity structures and texts (in coordination with the client) for your labelling. Our highly-qualified CAD department will then deliver the plans to you in file format; the desired attributes and digital information from AutoCAD P&ID are included.

We offer the following services:


- On-site inventory audit (as-built-check) including demand assessment
- P&iD preparation that considers the relevant standards and laws
- Determining quantity structures and batch sizes for the different sign variants
- Preparing specifications for the labelling
- Assigning and coding the equipment according to identification Systems for Power Stations (KKS) and plant labelling systems
- Preparing text and sign lists, including colour coding
- Plotting / printing the plans



In the area of plant labelling, we offer you the following forms of digital plans, among others:


Piping and Instrumentation Diagrams (in accordance with DIN EN ISO 10628)

The Piping and Instrumentation Diagram is used to display a plant's technical equipment. The plans show the structure and function of process plants and are part of the complete technical documentation that is necessary for the planning, construction, on-site installation, administration, commissioning, operation, maintenance and decommissioning of a plant. They also aid in the exchange of information between those involved in the development, construction, on-site installation, operation and maintenance of process plants.




Pipe layout diagram

A pipe layout diagram is a simplified representation of a plant that is not to scale. The diagram mainly marks the vertical pipes and all required safety and control technology fittings, as well as shut-off devices. The pipe layout diagram can serve as the basis for pipe dimensioning. In the planning phase, it can be somewhat of a common thread for the intended material flows.




Block diagrams

The diagrams graphically represent the effects between numerous interacting components. A process or process plant is thus depicted in simplified form with the aid of rectangles that are connected by flow lines (e.g., substances, energies, energy carriers).



Pipe plans

Technical drawings for the planning and construction of pipes in large chemical industry plants. Pipe plans map the course of pipes and fittings as a top view in existing installation plans.



Designs

Upon completion of our work, we give you a data medium that contains the digital documentation of the plans in the desired file format. You of course also have the option to use the printing and plotter service. This includes, amongst others, multi-colour printing, standard formats up to DIN AO, photoluminescent plots, and lamination in various sizes.



Safety Identification



Introduction	76
Safety Way Guidance System	78
End caps, Transparent escape route signs	80
Exit door handle marking, Stairway angles, Floor marking points	81
Safety Signs	82
Escape route signs	83
Escape route, emergency equipment and safety action signs	84
Fire fighting equipment signs	86
Prohibition signs	88
Warning signs	90
Mandatory action signs	92
Floor marking (antislipping)	94
Safety Markings for Obstacles and Hazardous Areas	95
Marking tapes	95
Floor Marking Tapes and Anti-Slip Tapes	96
Floor marking tapes	96
Anti-slip tape, universal	97
Anti-slip tape, easy clean	98
Anti-slip tape, coarse grade	98
Knuffi® Warning and Protection Profiles	99
Corner protection	99
Edge protection, Pipe protection	100
Surface protection	101
Plans for Safety Identification	102
Escape plans	103
Installation plans	104
Fire safety regulation	104
Designs	104
Fastening and Accessories	105

Introduction



Clear communication regarding hazards and rules of conduct serves as the basis for a safe working environment. Chemical parks, power stations, production plants and business premises must therefore be equipped with systematic labelling for emergency situations and day-to-day operations alike. Safety identification includes labelling of escape routes and fire protection equipment, identifying hazardous areas and how to conduct oneself in them, marking obstacles and potential hazards and putting up escape and rescue plans.

To successfully implement a safe working environment, the right planning, labelling selection and proper on-site installation is key. We offer all of this as a complete package. In our work, we focus on transmitting clear-cut messages. That's why dimensions, shape, colour, design, distance of observation and luminescence of the labels are based on prescribed standards and decades of experience. In collaborating with you, we aim to provide a sustainable solution for reliable safety identification, thus avoiding accidents, injuries and damage. Thanks to our in-house production, we can meet your requirements; what's more is that if you like, we can efficiently carry out (almost) all the relevant work for you on your premises.

Compulsory labelling and its implementation – regulations, standards and laws

Occupational safety identification is globally ubiquitous, compulsory by law, and in Germany derived from the German Arbeitsschutzgesetz ("Occupational Health and Safety Act"). In the Arbeitsstättenverordnung ("Workplaces Ordinance"), labelling with signs is specifically listed as an integral part of the legal measures. The technical rule for workplaces ASR A1.3 – "Safety and health protection labelling" – takes this measure and specifies its exact implementation in detail. This technical rule defines how our signs look in the plant, in the building or on the premises, as well as how to install them to ensure clear recognisability for all employees and visitors.




There are also international regulations and standards for safety identification. The current safety signs in Germany have already been adapted to the international standard ISO 7010. For this reason, we have grouped our signs for you in the following chapter and differentiated between the legally required signs from ASR A1.3 and the meaningful signs of the respective standard. If you would like qualified consultation, please do not hesitate to call us.

Luxolight®


Luxolight® photoluminescent labelling is particularly relevant to safety because even in the event of a power failure or smoke development, it ensures reliable orientation. Luxolight® is a registered trade mark and represents of all the photoluminescent products we offer. They meet high quality standards and promote safety in your working environment. Our Luxolight® products absorb the energy of UV rays from ambient light, store it and emit it again in the dark as yellow-green light. Depending on the ambient environment, different afterglow intensities may be necessary; we can provide you with reliable advice here.

As required by workplace regulation ASR A2.3 "Escape routes and emergency exits", all standardised Luxolight® products comply with Class C classification by the manufacturer in accordance with DIN 67510. The following graphics show Luxolight® lighting quality in comparison with the luminance classes and the specifications of workplace regulation ASR A2.3 and ISO 16069.

Luminous qualities of Safety Signs



Luminous qualities of Safey Way Guidance Systems



with 50 mm minimum width

Safety Way Guidance System




An installed safety way guidance system serves as an important protective measure should evacuation be necessary. As part of the safety concept or in consequence of a risk assessment, workplaces and places with increased risk potential must be equipped for emergency with an optical safety way guidance system that directs those affected to a safe environment or meeting points.

A safety way guidance system enables those affected to leave the premises safely and quickly – even in the event of heavy smoke and power failure. For the safety way guidance system we offer different photoluminescence qualities and installation heights that match the

on-site conditions. Thanks to the optical markings and direction indicators, all of these solutions provide for a seamless and reliable escape route. Nevertheless, they are not a substitute for the required rescue symbols that are mounted up above.





Components of the Safety Way Guidance System


The Safety Way Guidance System consists of the inserts (Is), the profile (Pr), the transparent safety sign (Ts) and end caps (Ec). We will gladly assist you determining the right components and materials that suit your demands.

Depending on the on-site conditions, we offer our safety guidance system in two heights, two materials and two design variants.

The angled profile version allows the safety guidance system to be mounted directly over the skirting board. The flat profile is suitable for direct installation on the wall or a surface, even in a slightly higher position.

Both versions are available in heights of 60 mm and 80 mm, whereby the angled profile is only available in aluminum. We offer the flat profile in aluminum and plastic.

As every application is different and customised solutions are the best fit, we produce or slide-in system to your requirements. Please contact us and we will find a suitable solution.





Ec End caps

Material	Quantity	Article
Plastic P / Aluminium, anodised A	20 pieces	0026

Width x Length	Application		Mat.
18 x 54 mm	For flat profile 60 mm	Order-No. Price	A 5036 € 21,50
18 x 74 mm	For flat profile 80 mm	Order-No. Price	A 5037 € 30,30
12 x 60 mm	For angled profile 60 mm, left	Order-No. Price	P 5040 € 32,20
12 x 60 mm	For angled profile 60 mm, right	Order-No. Price	P 5041 € 32,20
12 x 80 mm	For angled profile 80 mm, left	Order-No. Price	P 5042 € 43,20
12 x 80 mm	For angled profile 80 mm, right	Order-No. Price	P 5043 € 43,20



Transparent escape route signs

Material Article Quantity Foil 10 pieces 0029



Width x Height

96 x 48 mm

134 x 67 mm

Width x Height Order-No. Price 96 x 48 mm Order-No. Price 134 x 67 mm



300 € 22,20



302 € 22,20 **6845** € 25,50



303 € 22,20 **6846** € 25,50



Order-No.

Order-No. Price

Price

301 € 22,20 **6847** € 25,50



304 € 22,20 **6848** € 25,50



305 € 22,20 **6849** € 25,50





Exit door handle marking

Material	Luminance	Quantity	Article
Foil	Luxolight®	1 piece	0037
Width x Height	Design		
80 x 200 mm	With direction arrow left	Order-No. Price	336 € 5,70
80 x 200 mm	With direction arrow right	Order-No. Price	337 € 5,70



Stairway angles

Material	Luminance	Quantity	Article
Aluminium	Luxolight®	1 piece	0036
Width x Length	Application		
35 x 200 mm	For mounting on stairways	Order-No. Price	333



Floor marking points, self-adhesive

Material	Luminance	Quantity	Article
Foil	Luxolight®	1 piece	0031
Diameter	Design		
Ø 100 mm	With direction arrow	Order-No. Price	5061 € 2,50
Ø 200 mm	With direction arrow	Order-No. Price	5062 € 3,90
Ø 100 mm	Without direction arrow	Order-No. Price	5065 € 2,30
Ø 200 mm	Without direction arrow	Order-No. Price	5066 € 4,30

Safety Signs



Safety signs are standardised in their message, graphical symbol and safety colours in order to ensure international understanding. Lawful safety identification includes rescue, fire protection, prohibitory, mandatory action and warning symbols.

The exact requirements for your working environment are already determined when the escape and rescue plans are drawn up during the workplace's planning phase; they are specified more precisely over the course of regular risk assessments. Our rescue and fire protection symbols are available in standard form or with a photoluminescent background. This is not the case for prohibitory, mandatory action and warning symbols; they are therefore delivered in the standard form on a white background.







Escape route signs

Material	Luminance	Quantity	Article
PVC P / Foil F	No / Luxolight®	1 piece	0040









Width x Height	t	Mat.
300 x 150	Order-No. Price	P
mm	Order-No. Price	F
400 x 200	Order-No. Price	Р
mm	Order-No. Price	F

24005 € 3,80	23975 € 10,70
23935 € 3,60	23945 € 10,40
24006 € 6,40	23976 € 13,40
23936 € 6,10	23946 € 13,00

24009 € 3,80	23979 € 10,70
23939 € 3,60	23949 € 10,40
24010 € 6,40	23980 € 13,40
23940 € 6,10	23950 € 13,00

24007 € 3,80	23977 € 10,70
23937 € 3,60	23947 € 10,40
24008 € 6,40	23978 € 13,40
23938 € 6,10	23948 € 13,00







Width x Heigh	t	Mat.
300 x 150	Order-No. Price	Р
mm	Order-No. Price	F
400 x 200	Order-No. Price	Р
mm	Order-No. Price	F

24003 € 3,80	23973 € 10,70
23933	23943 € 10,40
24004 € 6,40	23974 € 13,40
23934 € 6,10	23944 € 13,00

23971 € 10,70
23941 € 10,40
23972 € 13,40
23942 € 13,00



€ 13,40

€ 13,00

€ 6,40

€ 6,10







300 x 150	Order-No. Price	Р
mm	Order-No. Price	F
400 x 200	Order-No. Price	Р
mm	Order-No. Price	F

Width x Height

23989 € 3,80	23999 € 10,70
23959 € 3,60	23969 € 10,40
23990 € 6,40	24000 € 13,40
23960 € 6,10	23970 € 13,00

23987 € 3,80	23997 € 10,70	23983	23993 € 10,70
23957 € 3,60	23967 € 10,40	23953	23963 € 10,40
23988 € 6,40	23998 € 13,40	23984 € 6,40	23994 € 13,40
23958 € 6,10	23968 € 13,00	23954 € 6,10	23964 € 13,00



t	Mat.
Order-No. Price	Р
Order-No. Price	F
Order-No. Price	Р
Order-No. Price	F
	Order-No. Price Order-No. Price Order-No. Price Order-No.

23981 € 3,80	23991 € 10,70
23951 € 3,60	23961 € 10,40
23982 € 6,40	23992 € 13,40
23952 € 6,10	23962 € 13,00



Escape route, emergency equipment and safety action signs

	Material			Lumina	nce						Quantity	А	rticle
Micha Height	PVC P / F	oil F		No/	Luxolight	8					1 piece	0	040
150 x 150 Order-No. 2 250	ISO 7010	0							Z	7	H	E	P
150 150 Price 250 66,10 2625 66,10 2625 66,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 2625 26,10 26,10 2625 26,10	Width x Height	•	Mat.	-		-		E001		E002		E003	
Price	150 x 150	Order-No. Price	_	€ 2,50	€ 6,10	€ 2,50	€ 6,10	€ 2,50	€ 6,10	€ 2,50	€ 6,10	€ 2,50	€ 6,10
200 x 200 Price € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.00 € 3.00 € 8.	mm		F										10120 € 5,90
Drider-No. 10090 10092 10094 10096 10108 10112 10114 10116 10118 10118 10114 10116 10118 10118 10114 10116 10118 10118 10114 10116 10118 10118 10114 10116 10118 10118 10114 10116 10118 10118 10118 10114 10116 10118	200 x 200		Р										385 € 8,00
Order-No. 386 888 390 82,50 66,10 62,50 62,	mm		F	10090	10092	10094	10096	10108	10112	10114	10116	10118	10121 € 7,70
150 x 150 Price	Width x Height	Order-No.	_	386		390		396		400		404	
Price	150 x 150 mm		_										€ 6,10 10144
200 x 200 Price		Price	_	€ 2,30		€ 2,30				€ 2,30		€ 2,30	€ 5,90 407
Price		Price	Р	€ 3,00	€ 8,00	€ 3,00	€ 8,00	€ 3,00	€ 8,00	€ 3,00	€ 8,00	€ 3,00	€ 8,00
### Price	111111		F			€ 2,70	€ 7,70						€ 7,70
Width x Height Mat. E011 E012 E013 E015 E016	400 x 400		Р	_	-			-	-	_	_	-	
Order-No. Price C C C C C C C C C	mm		F	-	-			-	_	-	_	-	
200 x 200 Price € 3,00 € 8,00 € 3,00 € 3,00 € 3,00		Order-No. Price Order-No. Price	P F	408 € 2,50 10146	€ 6,10 10148 € 5,90	412 € 2,50 10150 € 2,30	€ 6,10 10152 € 5,90	416 € 2,50 10154	€ 6,10 10157 € 5,90	37441 € 2,50 37437 € 2,30	€ 6,10 37439 € 5,90	420 € 2,50 10159 € 2,30	€ 6,10 10161 € 5,90
Price € 2,70 € 7,70 € 2,70 € 2,70 € 7,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 € 2,70 <	200 x 200		P							37442 € 3,00	37444 € 8,00		423 € 8,00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	mm		F										10162 € 7,70
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Width x Height	·	Mat.	E017		E018	5	E019		D-E019		WSE001	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	150 x 150		Р										372 € 6,10
200 x 200 Price	mm	Order-No.	F	10163	10167 € 5,90	10169	10171	10173	10175 € 5,90	10098	10101	10103	10105 € 5,90
mm Order-No. 10166 10168 10170 10172 10174 10176 10099 10102 10104 1010	200 x 200		Р										373 € 8,00
	mm		F										10106 € 7,70













Width x Heigh	t	Mat.
150 x 150	Order-No. Price	P
mm	Order-No. Price	F
200 x 200	Order-No. Price	Р
mm	Order-No. Price	F

E020	
37449 € 2,50	37451 € 6,10
37445 € 2,30	37447 € 5,90
37450 € 3,00	37452 € 8,00
37446 € 2,70	37448 € 7,70

E021	
37457 € 2,50	37459 € 6,10
37453 € 2,30	37455 € 5,90
37458 € 3,00	37460 € 8,00
37454 € 2,70	37456 € 7,70

37465 € 2,50	37467 € 6,10
37461 € 2,30	37463 € 5,90
37466 € 3,00	37468 € 8,00
37462 € 2,70	37464 € 7,70



E024	
37481 € 2,50	37483 € 6,10
37477 € 2,30	37479 € 5,90
37482 € 3,00	37484 € 8,00
37478 € 2,70	37480 € 7,70



Width x Height		Mat.	E025		
150 x 150 mm	Order-No. Price	Р	37489 € 2,50	37491 € 6,10	
	Order-No. Price	F	37485 € 2,30	37487 € 5,90	
200 x 200 mm	Order-No. Price	Р	37490 € 3,00	37492 € 8,00	
	Order-No. Price	F	37486 € 2,70	37488 € 7,70	



E057	
37497 € 2,50	37499 € 6,10
37493 € 2,30	37495 € 5,90
37498 € 3,00	37500 € 8,00
37494 € 2,70	37496 € 7,70




E058		E059	
37505 € 2,50	37507 € 6,10	37513 € 2,50	37515 € 6,10
37501 € 2,30	37503 € 5,90	37509 € 2,30	37511 € 5,90
37506 € 3,00	37508 € 8,00	37514 € 3,00	37516 € 8,00
37502 € 2,70	37504 € 7,70	37510 € 2,70	37512 € 7,70





Fire fighting equipment signs













Prohibition Signs

Material		Luminance			Quantity	Article
PVC		No			1 piece	0049
ISO 7010			4		(K)	
Width x Height		P001	P002	P003	P004	P005
150 x 150 mm	Order-No. Price	2756 € 2,60	2758 € 2,60	2760 € 2,60	2762 € 2,60	2764 € 2,60
200 x 200 mm	Order-No. Price	2757 € 3,10	2759 € 3,10	2761 € 3,10	2763	2765 € 3,10
Width x Height		P006	P007	P008	P010	P011
150 x 150 mm	Order-No. Price	2766 € 2,60	2768 € 2,60	2770 € 2,60	2772 € 2,60	2774 € 2,60
200 x 200 mm	Order-No. Price	2767 € 3,10	2769 € 3,10	2771 € 3,10	2773 € 3,10	2775 € 3,10
Width x Height		P012	P013	P014	P015	P017
150 x 150 mm	Order-No. Price	2776 € 2,60	2778 € 2,60	2780 € 2,60	2782 € 2,60	2784 € 2,60
200 x 200 mm	Order-No. Price	2777 € 3,10	2779 € 3,10	2781 € 3,10	2783 € 3,10	2785 € 3,10
Width x Height 150 x 150 mm	Order-No.	P018 2786 € 2,60	P019 2788 € 2,60	P020 2790 € 2,60	P021 2792 € 2,60	P022 2794 € 2,60
200 x 200 mm	Order-No.	2787	2789	2791	2793	2795
200 X 200 IIIII	Price	€ 3,10	€ 3,10	€ 3,10	€ 3,10	€ 3,10



 € 2,60 € 3,10

Order-No. Price

Order-No. Price

Width x Height

150 x 150 mm

200 x 200 mm



 € 2,60 € 3,10



 € 2,60 € 3,10



€ 2,60

€ 3,10



 € 2,60 € 3,10





€ 2,60

€ 3,10





Width x Height

Order-No. Price 150 x 150 mm Order-No. Price 200 x 200 mm

 € 2,60 € 3,10

 € 2,60 € 3,10 € 2,60 € 3,10

 € 2,60 € 3,10

Width x Height

Order-No. Price 150 x 150 mm 200 x 200 mm

 € 2,60 € 3,10

€ 2,60



Order-No. Price

 € 2,60 € 3,10

€ 3,10

 € 2,60 € 3,10 € 2,60 € 3,10

Width x Height Order-No. Price 150 x 150 mm

Order-No. Price 200 x 200 mm

 € 2,60 € 3,10

 € 2,60 € 3,10

 € 2,60 € 3,10

 € 2,60 € 3,10



€ 2,60

€ 3,10

 € 2,60 € 3,10

 € 2,60 € 3,10

D-P016 € 2,60 € 3,10



 € 2,60 € 3,10



Warning signs

Material		Luminance			Quantity	Article
PVC		No			1 piece	0051
ISO 7010		<u>^</u>				
Width x Height		W001	W002	W003	W004	W005
150 x 150 mm	Order-No. Price	2940 € 2,60	2942 € 2,60	2944 € 2,60	2946 € 2,60	2948 € 2,60
200 x 200 mm	Order-No. Price	2941 € 3,10	2943 € 3,10	2945 € 3,10	2947 € 3,10	2949 € 3,10
		WOOG	<u>2</u>	WOO8	WOO9	W010
Width x Height	Order-No.	2950	2952	2954	2956	2958
150 x 150 mm	Price Order-No.	€ 2,60 2951	€ 2,60 2953	€ 2,60 2955	€ 2,60 2957	€ 2,60 2959
200 x 200 mm	Price	€ 3,10	€ 3,10	€ 3,10	€ 3,10	€ 3,10
			A			
Width x Height	Order-No.	2960	W012 2962	W013 2964	W014 2966	W015 2968
150 x 150 mm	Price	€ 2,60	€ 2,60	€ 2,60	€ 2,60	€ 2,60
200 x 200 mm	Order-No. Price	2961 € 3,10	2963 € 3,10	2965 € 3,10	2967 € 3,10	2969 € 3,10
Width x Height 150 x 150 mm 200 x 200 mm	Order-No. Price Order-No. Price	w016 2970 € 2,60 2971 € 3,10	wo17 2972 € 2,60 2973 € 3,10	wo18 2974 € 2,60 2975 € 3,10	w019 2976 € 2,60 2977 € 3,10	wo20 2978 € 2,60 2979 € 3,10











Width x Height	
150 x 150 mm	Order-No. Price
200 x 200 mm	Order-No. Price



2998 € 2,60 **2999** € 3,10

w022 2982 € 2,60 2983 € 3,10

D-W022 W023

3000 2984
€ 2,60 € 2,60

3001 2985
€ 3,10 € 3,10





€ 3,10

€ 2,60

 € 2,60 € 3,10



 € 2,60 € 3,10



€ 2,60

€ 3,10

 € 2,60 € 3,10



Width x Height Order-No. Price 150 x 150 mm Order-No. Price 200 x 200 mm

Order-No. Price

Order-No. Price

Width x Height

150 x 150 mm

200 x 200 mm

 € 2,60 € 3,10

 € 2,60 € 2,60 € 3,10 € 3,10



 € 2,60 € 2,60 € 3,10 € 3,10



€ 2,60

€ 3,10

Width x Height Order-No. Price 150 x 150 mm

Order-No. Price 200 x 200 mm

 € 2,60 € 3,10

 € 2,60 € 3,10



 € 2,60 € 3,10



Mandatory action signs

Material		Luminance			Quantity	Article
PVC		No			1 piece	0053
ISO 7010		Moo1	M002	MO03	M004	Moos
Width x Height	Order-No.	3124	3126	3128	3130	3132
150 x 150 mm	Price	€ 2,60	€ 2,60	€ 2,60	€ 2,60	€ 2,60
200 x 200 mm	Order-No. Price	3125 € 3,10	3127 € 3,10	3129 € 3,10	3131 € 3,10	3133 € 3,10
Width x Height		M006	M007	M008	MOO9	MOIO
150 x 150 mm	Order-No. Price	3134 € 2,60	3136 € 2,60	3138 € 2,60	3140 € 2,60	3142 € 2,60
200 x 200 mm	Order-No. Price	3135 € 3,10	3137 € 3,10	3139 € 3,10	3141 € 3,10	3143 € 3,10
Width x Height		MO11	M012	MO13	M014	M015
150 x 150 mm	Order-No.	3144	3146	3148	3150	3152
	Price Order-No.	€ 2,60 3145	€ 2,60 3147	€ 2,60 3149	€ 2,60 3151	€ 2,60 3153
200 x 200 mm	Price	€ 3,10	€ 3,10	€ 3,10	€ 3,10	€ 3,10
						□ □
Width x Height	Oudo:: N -	M016	M017	M018	M019	M020
150 x 150 mm	Order-No. Price	3154 € 2,60	3156 € 2,60	3158 € 2,60	3160 € 2,60	3162 € 2,60
200 x 200 mm	Order-No. Price	3155 € 3,10	3157 € 3,10	3159 € 3,10	3161 € 3,10	3163 € 3,10
					N	

Width x Height





















3172 € 2,60 **3173** € 3,10











Width x Height

Order-No. Price 150 x 150 mm Order-No. Price 200 x 200 mm

 € 2,60 € 3,10 € 2,60 € 3,10 € 2,60 € 3,10 € 2,60 € 3,10

 € 2,60 € 3,10

Width x Height

Order-No. Price 150 x 150 mm Order-No. Price 200 x 200 mm

 € 2,60 € 3,10

€ 2,60

€ 3,10

 € 2,60 € 3,10



€ 2,60

€ 3,10

 € 2,60 € 3,10

€ 2,60

€ 3,10

Width x Height

Order-No. Price 150 x 150 mm

Order-No. Price 200 x 200 mm

€ 2,60

€ 3,10

In some cases, safety identification might be even more effective if placed on the ground. These self-adhesive sticker signs can be applied directly to the ground but the edges should be sealed in order to avoid premature wear. Our floor signs are slip resistant to prevent slip hazard.



Floor marking (antislipping)





Safety Markings for Obstacles and Hazardous Areas

Whether for everyday or emergency purposes, labelling obstacles and hazardous areas is an integral part of comprehensive safety identification. A colour design is recommended for day-to-day operations, but for workplaces where no complex safety lighting is installed, a safety marking in the form of photoluminescent marking tape is preferable.



Marking tapes

Material	Quantity	Article
Foil	1 piece	0058

Width x Length	Application	Colours
40 mm x 25 m	permanent danger warning	
40 mm x 25 m	temporary danger warning	
80 mm x 25 m	permanent danger warning	
80 mm x 25 m	temporary danger warning	

Order-No.	2746
Price	€ 40,00
Order-No.	2740
Price	€ 40,00
Order-No.	2747
Price	€ 71,90
Order-No.	2741
Price	€ 71,90

ISO 3864

Width x Length	Application	Colours
40 mm x 25 m	command signal	
40 mm x 25 m	safe situation	
80 mm x 25 m	command signal	
80 mm x 25 m	safe situation	

2742 € 40,00
2744 € 40,00
2743 € 71,90
2745 € 71,90

Floor marking and Anti-Slip tapes

The labelling of passage ways in accordance with ASR A1.8 is mandatory. What's more, due to the frequency and severity of slip accidents floor marking tapes and anti-slip floorings play an increasingly important role within safety and health systems. In the following you can find a selection of products to maintain the safety of your facility and further prevent and reduce these kind of accidents. Anti-slip floorings help to prevent slip accidents on indoor and outdoor surfaces that are slick, slippery, wet and/or soiled by oil or grease. These products might be used for labelling of entrance areas, passageways, walkways, stairs, ascents, ramps, machines, vehicles, kitchen and canteens, terraces, shelters etc.



Floor marking tapes

Material			Quantity	Article
PVC			1 piece	0108
Width x Length	Design	Colours		
50 mm x 33 m		Colodaro	Order-No. Price	36801 € 7,80
75 mm x 33 m	black		Order-No. Price	36802 € 11,70
50 mm x 33 m			Order-No. Price	36803 € 7,80
75 mm x 33 m	yellow		Order-No. Price	36804 € 11,70
50 mm x 33 m			Order-No. Price	36805 € 7,80
75 mm x 33 m	blue		Order-No. Price	36806 € 11,70
50 mm x 33 m			Order-No. Price	36807 € 7,80
75 mm x 33 m	red		Order-No. Price	36808 € 11,70
50 mm x 33 m			Order-No. Price	36809 € 7,80
75 mm x 33 m	green		Order-No. Price	36810 € 11,70
50 mm x 33 m			Order-No. Price	36811 € 7,80
75 mm x 33 m	white		Order-No. Price	36812 € 11,70
50 mm x 33 m			Order-No. Price	36813 € 7,80
75 mm x 33 m	orange		Order-No. Price	36814 € 11,70
50 mm x 33 m	bladi (cellen akiina d		Order-No. Price	36815 € 10,50
75 mm x 33 m	black/yellow striped		Order-No. Price	36816 € 15,80
50 mm x 33 m			Order-No. Price	36817 € 10,50
75 mm x 33 m	red/white striped		Order-No. Price	36818 € 15,80





Anti-slip tape, general purpose

Material	Slip-prevention	Luminance (after 10 min.)	Quantity	Article
PVC Grit Carrying Web	R 13	No / 150 mcd/m ²	1 piece	0108
Width x Length	Design	Colours		
50 mm x 18,3 m			Order-No. Price	36819 € 66,00
75 mm x 18,3 m	black		Order-No. Price	36820 € 99,00
50 mm x 18,3 m			Order-No. Price	36821 € 66,00
75 mm x 18,3 m	yellow		Order-No. Price	36822 € 99,00
50 mm x 18,3 m			Order-No. Price	36823 € 66,00
75 mm x 18,3 m	white		Order-No. Price	36824 € 99,00
50 mm x 18,3 m			Order-No. Price	36825 € 66,00
75 mm x 18,3 m	grey		Order-No. Price	36826 € 99,00
50 mm x 18,3 m			Order-No. Price	36827 € 66,00
75 mm x 18,3 m	blue		Order-No. Price	36828 € 99,00
50 mm x 18,3 m			Order-No. Price	36829 € 66,00
75 mm x 18,3 m	red		Order-No. Price	36830 € 99,00
50 mm x 18,3 m			Order-No. Price	36831 € 66,00
75 mm x 18,3 m	green		Order-No. Price	36832 € 99,00
50 mm x 18,3 m			Order-No. Price	36833 € 66,00
75 mm x 18,3 m	brown		Order-No. Price	36834 € 99,00
50 mm x 18,3 m			Order-No. Price	36835 € 79,50
75 mm x 18,3 m	black/yellow striped		Order-No. Price	36836 € 119,30
50 mm x 18,3 m			Order-No. Price	36837 € 79,50
75 mm x 18,3 m	red/white striped		Order-No. Price	36838 € 119,30
50 mm x 18,3 m			Order-No. Price	36839 € 243,00
100 mm x 18,3 m	luminescent		Order-No. Price	36840 € 486,00
50 mm x 18,3 m			Order-No. Price	36841 € 267,00
100 mm x 18,3 m	black/luminescent stripe	ed	Order-No. Price	36842 € 534,00
50 mm x 18,3 m			Order-No. Price	36867 € 127,50
75 mm x 18,3 m	black - extra strong		Order-No. Price	36868 € 191,30



Anti-slip tape, easy clean

Material	Slip-prevention		Quantity	Article
PVC Grit Carrying Web	R 10		1 piece	0108
Width x Length	Design	Colours		
50 mm x 18,3 m			Order-No. Price	36843 € 78,00
100 mm x 18,3 m	black		Order-No. Price	36844 € 156,00
50 mm x 18,3 m			Order-No. Price	36845 € 78,00
100 mm x 18,3 m	yellow		Order-No. Price	36846 € 156,00
50 mm x 18,3 m			Order-No. Price	36847 € 78,00
100 mm x 18,3 m	clear		Order-No. Price	36848 € 156,00
50 mm x 18,3 m			Order-No. Price	36849 € 78,00
100 mm x 18,3 m	grey		Order-No. Price	36850 € 156,00
50 mm x 18,3 m			Order-No. Price	36851 € 78,00
100 mm x 18,3 m	blue		Order-No. Price	36852 € 156,00
50 mm x 18,3 m			Order-No. Price	36853 € 78,00
100 mm x 18,3 m	red		Order-No. Price	36854 € 156,00
50 mm x 18,3 m			Order-No. Price	36855 € 78,00
100 mm x 18,3 m	green		Order-No. Price	36856 € 156,00
50 mm x 18,3 m			Order-No. Price	36857 € 78,00
100 mm x 18,3 m	white		Order-No. Price	36858 € 156,00
50 mm x 18,3 m			Order-No. Price	36859 € 93,80
100 mm x 18,3 m	black/yellow		Order-No. Price	36860 € 187,50



Anti-slip tape, coarse grade

Material	Slip-prevention		Quantity	Article
Aluminium	R 13		1 piece	0108
Width x Length	Design	Colours		
50 mm x 18,3 m	block		Order-No. Price	36861 € 79,50
100 mm x 18,3 m	black		Order-No. Price	36862 € 159,00
50 mm x 18,3 m			Order-No. Price	36863 € 79,50
100 mm x 18,3 m	yellow		Order-No. Price	36864 € 159,00
50 mm x 18,3 m	blad (valle), skije d		Order-No. Price	36865 € 79,50
100 mm x 18,3 m	black/yellow striped		Order-No. Price	36866 € 159,00
50 mm x 18,3 m			Order-No. Price	36869 € 141,00
100 mm x 18,3 m	black/coarse conformable		Order-No. Price	36870 € 282,00




Knuffi® Warning and Protection Profiles




Warning and protection profiles effectively prevent impact injuries. Due to their striking colour in accordance with ASR A1.3, they caution you about the threat of collisions. Knuffi® products are made from flexible polyurethane foam using a patented process. They provide a visual warning through the specific colours and the material absorbs even the hardest impacts with ease.

Corner protection, self adhesive



Mater	ial Lumi	nance (after 10 min.)		Quantit	ty	Article
Polyur	ethane foam No	/ 155 mcd/m ²		1 m / 5	m	0059
T	Danim	,	N-1		1	<i>5</i>
<i>Type</i> A	Design black/yellow		Colours	Order-No. Price	1 m 3317 € 26,60	5 m 3413 € 156,00
A	red/white			Order-No. Price	3318 € 31,00	3414 € 184,30
A	white			Order-No. Price	3319 € 32,50	3415 € 192,20
A	black/daylight fluorescent			Order-No. Price	3320 € 35,20	_
A	black/luminescent			Order-No. Price	3321 € 49,30	-
A	black			Order-No. Price	3322 € 30,00	3418 € 176,30
A +	black/yellow			Order-No. Price	3323 € 57,30	-
A +	red/white			Order-No. Price	3324 € 57,30	<u>-</u>
A +	white			Order-No. Price	3325 € 57,30	<u>-</u> -
A +	black			Order-No. Price	3328 € 57,30	<u>-</u>
AA	black/yellow			Order-No. Price	3329 € 25,60	3425 € 150,40
AA	red/white			Order-No. Price	3330 € 30,00	3426 € 177,50
AA	white			Order-No. Price	3331 € 31,40	3427 € 184,8
AA	black			Order-No. Price	3334 € 28,90	3430 € 169,60
E	black/yellow			Order-No. Price	3335 € 26,60	3431 € 156,00
E	red/white			Order-No. Price	3336 € 31,00	3432 € 184,30
E	white			Order-No. Price	3337 € 32,50	3433 € 192,20
E	black			Order-No. Price	3340 € 30,00	3436 € 176,30
Н	black/yellow			Order-No. Price	3341 € 31,20	3437 € 176,00
Н	red/white			Order-No. Price	3342 € 37,70	3438 € 212,10
Н	white			Order-No. Price	3343 € 39,40	3439 € 221,50
Н	black			Order-No. Price	3346 € 35,60	3442 € 203,20
H+	black/yellow			Order-No. Price	3347 € 52,40	_
H+	red/white			Order-No. Price	3348 € 52,40	_
H+	white			Order-No. Price	3349 € 52,40	- -
H+	black			Order-No. Price	3352 € 52,40	-






Edge protection

Mater	ial Luminance (after 1	0 min.)	Quantity	Article
Polyure	ethane foam No / 155 mcd/m	2	1 m / 5 m	0059
Туре	Design	Colours	. 1	m 5 m
В	black/yellow			3359 3455
В	red/white			3360 3456
В	white			3361 3457
В	black/daylight fluorescent			3362 – 34,20 –
В	black/luminescent			3363 – 49,30 –
В	black			3364 3460
ВВ	black/yellow			3353 3449
BB	red/white			3354 3450
ВВ	white			3355 3451 30,50 € 181,2
ВВ	black			3358 3454 € 27,90 € 165,8
G	black/yellow			3365 3461
G	red/white			3366 3462
G	white			3367 3463
G	black			3370 3466 33,10 € 191,1


Piping protection, self adhesive



Mater	ial		Quantity		Article
Polyure	ethane foam		1 m / 5	ō m	0059
Туре	Design	Colours		1 m	5 m
R30	black/yellow		Order-No. Price	3371 € 41,50	3467 € 225,30
R30	red/white		Order-No. Price	3372 € 51,50	3468 € 286,20
R30	white		Order-No. Price	3373 € 54,10	3469 € 298,80
R30	black		Order-No. Price	3376 € 49,30	3472 € 274,00
R50	black/yellow		Order-No. Price	3377 € 53,80	-
R50	red/white		Order-No. Price	3378 € 66,70	-
R50	white		Order-No. Price	3379 € 69,90	-
R50	black		Order-No. Price	3382 € 64,00	-







Surface protection, self adhesive

Mater	ial L	uminance (after 10 min.)	Quantity	Article
Polyur	ethane foam N	No / 155 mcd/m²	1 m / 5 m	0059
Timo	Decim	Colours	1 m	5 m
Туре	Design	Colours	Order-No. 3407	3503
С	black/yellow		Price € 27,20	€ 159,40
С	red/white		Order-No. 3408 Price € 32,50	3504 € 191,00
С	white		Order-No. 3409 Price € 33,50	3505 € 199,00
С	black/daylight fluorescen	t	Order-No. 3410 Price € 36,80	-
С	black/luminescent		Order-No. 3411 Price € 51,40	-
С	black		Order-No. 3412 Price € 31,00	3508 € 182,60
CC	black/yellow		Order-No. 3401 Price € 26,30	3497 € 154,80
СС	red/white		Order-No. 3402 Price € 31,00	3498 € 184,80
СС	white		Order-No. 3403 Price € 32,50	3499 € 193,10
СС	black		Order-No. 3406 Price € 30,00	3502 € 177,00
D	black/yellow		Order-No. 3383 Price € 31,10	3479 € 166,40
D	red/white		Order-No. 3384 Price € 41,50	3480 € 228,40
D	white		Order-No. 3385 Price € 43,00	3481 € 237,30
D	black		Order-No. 3388 Price € 39,40	3484 € 217,90
F	black/yellow		Order-No. 3395 Price € 27,20	3491 € 159,40
F	red/white		Order-No. 3396 Price € 32,50	3492 € 191,10
F	white		Order-No. 3397 Price € 33,50	3493 € 199,00
F	black		Order-No. 3400 Price € 31,00	3496 € 182,60
S	black/yellow		Order-No. 3389 Price € 57,30	<u>-</u>
S	red/white		Order-No. 3390 Price € 57,30	- -
S	white		Order-No. 3391 Price € 57,30	-
S	black		Order-No. 3394 Price € 57,30	<u>-</u>

Plans for Safety Identification



The displayed information for employees and visitors in buildings is an integral part of safety identification. For this reason, our qualified inhouse CAD department specialises in preventive fire protection. We prepare, deliver and install the necessary plans for you in compliance with all relevant laws, regulations, guidelines and standards.

A professional on-site audit is the basis for all plans; a regular inventory check also ensures the safety of your property. According to the technical rule ASR A2.3 "Escape and rescue routes and emergency exits, escape route plans", all put up plans must always be up-to-date. Any structural or fire protection changes must result in an adjustment of your plans.


We will perform this review for you. If available, the existing plans establish the starting position. If you do not have a floor plan, we will also draw up new plans – which includes surveying the on-site layout with a handheld laser device – as part of our service. Within the context of the property inspection, an expert conducts a variance analysis of your situation. Amongst other things, this analysis takes into consideration

the location of the emergency, rescue and fire fighting equipment, the path of the escape and rescue routes and the safety signage in the building. After all of the important information has been definitively registered, the final alignment with the relevant authorities (e.g. fire brigade, fire protection services, building authorities) can be conducted on request

Upon approval of the authorities the plans will be handed out in printed or digital form.

Within the scope of safety identification we offer you the following plans, among others:






Escape plans

A property's escape and rescue plans are designed for quick orientation so that the fastest and safest path out of danger can be identified. The plans complete the safety identification and increase the level of safety for people in the building. Consulting our on-site audit, we draw up the plans which present a simple, comprehensible of the escape routes and safety signs, fire extinguishers, wall hydrants, pressure detectors, first aid kits, stretchers etc. . They also contain the rules of conduct in accordance with Part A of the German Brandschutzordnung ("Fire safety regulation"), i.e. how to behave in the event of fire or accidents.

Installation plans

Within the framework of the on-site audit, we can conduct a variance analysis for the existing labelling or prepare a new documentation of the safety signage if you please. Our expert staff will record all of the signs that are present on your site and note all of the labels that are missing or need to be adapted. We will then create plans for you that include the positioning and fastening of the signs as well as the proper installation options. These plans can be used for an on-site installation by us or your own employees, for documenting your plant, or for further planning of your safety identification.



Fire safety regulation

The fire safety regulation includes the most important measures to follow for preventing and dealing with fires and is divided in the three following parts. Part A of the fire safety regulation addresses all persons in the relevant building and describes the most important rules in cases of fire or accidents. Part B addresses the employees of the company and, amongst others, describes general measures in order to prevent spread of fire and smoke and guidelines of how to keep clear the escape and rescue routes. The third Part C addresses employees of the company being in charge with fire prevention tasks and mainly describes fire protection measures. The fire safety regulation needs to be individually applied to every building and be checked every other 2 years by a fire prevention expert. Upon request, we can provide you with Part A as individual printouts; these can be complemented with Parts B and C as hardback copy.



Designs


Upon completion of our work, we give you a data medium that contains the digital documentation in the desired file format (supported file formats: *.PDF, *.DWG, *.DXF). You of course also have the option to use the printing and plotter service. This includes, amongst others, multicolour printing, formats from DIN A4–DIN A0 and special formats upon

request, photoluminescent plots (e.g. for escape and rescue plans), and lamination up to DIN A 1. We offer a selection of folding frames in different shapes and sizes. If you are looking for a more appealing variant we recommend the acrylic frames of our own production.



Fastening and Accessories

In order for a sign to aid in providing comprehension, safety and orientation, it must be properly installed. Our fastening products therefore offer the right solution for each of our safety identification systems. Tried, tested and durable, the different sizes and types of signs can be fastened to the necessary installation points in a clearly visible manner. For further questions regarding our products our sales team is always at your disposal.




Snap frame

			Qu	antity	Article
Aluminium, anodised			1 p	iece	0060
Media size		mitred comer	rounded corner	lockable	fire protection certified
DIN A4	Order-No. Price	2731 € 28,10	2732 € 30,60	-	47509 € 53,10
DIN A3	Order-No. Price	2734 € 32,70	2735 € 35,70	2736 € 44,40	47508 € 63,30
DIN A2	Order-No. Price	2737 € 47,00	2738 € 51,00	2739 € 58,70	47507 € 93,90
	DIN A4	DIN A4 Order-No. Price DIN A3 Order-No. Price DIN A2 Order-No.	Media size Corner DIN A4 Order-No. Price 2731 € 28,10 DIN A3 Order-No. Price 2734 € 32,70 DIN A2 Order-No. 2737	Media size mitred corner rounded corner DIN A4 Order-No. Price	Media size comer corner DIN A4 Order-No. Price 2731 Price 2732 Price DIN A3 Order-No. Price 2734 Price 2735 Price DIN A3 Order-No. Price 232,70 Price € 35,70 Price DIN A2 Order-No. Price 2737 Price 2738 Price



Sign mount

Material				Quantity		Article
Aluminium A / Stain	less steel S			1 piece		0107
Width x Height	Lieferumfang		Mat.		Mat.	
145 x 145 mm	incl. double faced adhesive foa tape	Order-No. Price	Α	49542 € 6,50	S	36632 € 6,90
195 x 295 mm	mincl. double faced adhesive foam tape	Order-No. Price	Α	49543 € 13,40	S	36633 € 14,40



Flag fastener

Material		Quantity	Article
Aluminium		1 piece	0061
Width x Height	Application		
150 x 150 mm	wall and ceiling suspension	Order-No. Price	2715 € 7,20
150 x 300 mm	wall and ceiling suspension	Order-No. Price	2716 € 10,70
150 x 450 mm	wall and ceiling suspension	Order-No. Price	2717 € 11,40
200 x 200 mm	wall and ceiling suspension	Order-No. Price	2718 € 8,10
200 x 400 mm	wall and ceiling suspension	Order-No. Price	2719 € 13,80
200 x 600 mm	wall and ceiling suspension	Order-No. Price	2720 € 18,30
300 x 150 mm	wall suspension	Order-No. Price	2721 € 9,70
400 x 200 mm	wall suspension	Order-No. Price	2722 € 12,60



Nose fastener

Material	Quantity	Article
Aluminium	1 piece	0062
Width x Height		
150 x 150 mm	Order-No. Price	2701 € 10,30
150 x 300 mm	Order-No. Price	2702 € 12,10
200 x 200 mm	Order-No. Price	2704 € 11,70
200 x 400 mm	Order-No. Price	2705 € 15,00
200 x 600 mm	Order-No. Price	2706 € 18,20
300 x 300 mm	Order-No. Price	2703 € 15,80
400 x 400 mm	Order-No. Price	2707 € 21,50




Double-faced acrylate adhesive tape

Material	Quantity	Article
Acryl	1 piece	0063
Width x Length		
150 mm x 50 m	Order-No. Price	2699 € 168,50
200 mm x 50 m	Order-No. Price	2700 € 224,70



Double faced adhesive foam tape

Material		Quantity	Article
Polyethylenschaum		1 piece	0021
Width	Application		Length 50 m
150 mm	For signs	Order-No. Price	94 € 215,50
200 mm	For signs	Order-No. Price	95 € 288,40
300 mm	For signs	Order-No. Price	96 € 431,00
400 mm	For signs	Order-No. Price	97 € 571,90



Cartridge skeleton gun

Quantity	Article
1 piece	0091
Order-No.	5456
Price	€ 13,00
	Order-No.





Glue

		Quantity	Article
		1 piece	0091
Design	Application		
Cartridge, 310 ml	For the assembly of signs, transparent	Order-No. Price	47477 € 17,30



Cleaner sprays

		Quantity	Article
		1 piece	0091
Davim	Application		
Design	Application		22247
Spray can, 500 ml	For degreasing metallic surfaces, glass and ceramics (check suitability before use)	Order-No. Price	33847 € 12,50
Spray can, 500 ml	For cleaning heavily soiled surfaces	Order-No. Price	33848 € 7,10





Terms and Conditions

1. General

- 1.1 The following "Terms and Conditions Purchase Contract", in here later referred to as "terms and conditions", apply to all purchase contracts between the Stell GmbH (Limited liability company), Raiffeisenring 35-37, 46395 Bocholt, Deutschland (in here later referred to as "seller") and enterprises according to § 14 BGB, legal bodies under public law and legal assets under public law (in here later referred to as "buyer").
- **1.2** Contradicting or differing terms and conditions of the buyer are no subject to the contract even if the seller is fulfilling the contract without having explicitly refused those terms. Differing terms only apply if explicitly agreed to by the seller in writing.

2. Contract proposal and conclusion, offers, orders

- **2.1** The offers of the seller are non-binding and shall be considered as a proposal towards the buyer to place a purchase order with the seller. The purchase contract (in here later referred to as "order") is concluded with the placement of the order by the buyer and the acceptance of the order by the seller. If the acceptance notice differs from the order, it is to be considered a new, non-binding offer of the seller
- **2.2** By placing the order the buyer bindingly declares to willingly purchase the ordered products. The seller is entitled to accept the offer for the order within 2 weeks after the placement of the order. By placing the order, the buyer agrees to the present terms and conditions. The same applies to all future purchase orders even if the terms and conditions are not explicitly referred to.
- 2.3 The buyer is obligated to immediately revise the acceptance notice/order confirmation of the seller. If no formal acceptance notice has been issued, the former applies also to instalments, partial or final accounts.
- **2.4** The granting of a certain property or suitability of the ordered product concerning a certain intended use as well as taking over a guarantee is only binding if confirmed by the seller in writing. The properties of patterns or samples are only binding as long as explicitly agreed to be properties of the product.
- **2.5** As far as the seller provides advice and support services, those are provided to the best of his/her knowledge.

3. Purchase price, payment, default, off-set, retention, transfer of claims

- **3.1** (a) All prices are ex office of the seller.
- (b) Generally, the purchase price is excluding present statutory VAT as far as legal tax obligations apply. If the statutory VAT rate increases between the conclusion of the contract and the issuance of the invoice, the buyer has to pay the higher VAT rate.

- (c) On deliveries within the EU, the buyer has to provide his/her VAT ID number used for his/her turnover taxation priory to the payment. For non-electronic export declarations concerning deliveries from the Federal Republic of Germany to countries outside of the EU which are not carried out or initiated by the seller, the buyer has to provide the export declaration necessary for taxation. If the export declaration is not provided, the buyer has to pay the VAT for the products in addition to the invoiced amount for deliveries within Germany.
- (d) The seller is entitled to claim down payments according to the value of already performed partial deliveries.
- **3.2** If the agreed delivery term exceeds 4 months, the seller reserves the right to reasonably adapt the agreed purchase price according to changes of actual costs, including material costs and labor expenses as well as shipping costs if necessary. The same applies in case of increase of customs or fees required for deliveries at the seller's expense. If the price not proportionally increases compared to the consumer price index, the price increase will be limited to the market price. Paragraph 4.12 remains untouched.
- **3.3** The agreed purchase price is due within 7 days after the delivery of the product to the buyer without deductions, unless otherwise agreed upon. The same applies to partial deliveries. Trade discounts may only be deducted if the payment has been credited to the seller's account in due time and if the buyer is not in default with other claims of the seller at the time of the respective payment. Trade discounts may only be deducted from the net price.
- **3.4** Drafts and checks will only be accepted on account of performance and upon explicit agreement. They will not be considered as payment until they are encashed. Draft charges and taxes are at the buyer's expense after the expiry of the agreed payment term.
- **3.5** The buyer defaults in payment after the expiry of the 7th day after the delivery of the product, latest after expiry of the last day of an individually granted payment period.
- **3.6** (a) The buyer may only off-set against claims of the seller with undisputed, final and absolute counter claims.
- (b) Letter (a) respectively applies to the execution of retention rights by the buyer.
- **3.7** The buyer is not entitled to retain claims of the seller resulting from this contract due to unsettled claims not subject to this contract. 3.8 The buyer's right to lien according to \$369 HGB does not apply.
- **3.9** If there are reasonable doubts concerning the liquidity or credit status of the buyer and if the buyer is not willing to pay in advance or provide a suitable financial security on demand of the seller, the seller is entitled, if he/she has not performed yet, to demand an advanced cash payment before a

- possible further/subsequent delivery. This particularly applies to agreed, but not yet carried-out subsequent business transactions.
- **3.10** The seller reserves the right to use payments to settle the oldest open account item plus incurred default interests according to the following order: costs, interests, principle claim. **3.11** The seller is entitled to transfer claims resulting from or in relation to this purchase contract. The buyer may not transfer his claim against the seller
- to third parties. § 354a HGB remains unchallenged.

 3.12 On default of payment of remuneration claims, the seller is entitled to claim default interest of 8 %-points above the basic interest rate according to § 247 BGB valid at the time of default occurrence. § 352 HGB as well as claims towards further actual

default damages remain unchallenged.

so do legal rights to claim damages for

the failure of performance as well as

withdrawal from the contract.

3.13 On default, all claims resulting from all contract relationships of the parties are due immediately, unless the default is related to only minor claims

4. Delivery, transfer of risk

- **4.1** If no explicit delivery term has been stated by the seller, the delivery may be claimed not until 8 weeks after the conclusion of the contract. An agreed approximate delivery term does not begin until receipt of all necessary documentations and information to be handed in by the buyer (P&IDs, specifications, production lists, approval of layouts).
- **4.2** If the buyer has been granted a certain delivery period, this period is to be considered as complied with if the product to be delivered has been delivered to the customer. If the purchase contract consists of several partial deliveries, the acceptance has to take place according to the agreed delivery intervals.
- **4.3** If not otherwise agreed upon, the products are provided for delivery at the seller's place of business. On collection from the delivery point the collection has to take place by the buyer or his/her representatives according to legal regulations concerning secure loading of vehicles.
- **4.4** If a dispatch of products has been agreed upon, the seller dispatches the products on request of the buyer according to § 447 BGB at the buyer's risk and expense.
- **4.5** If employees of the seller support the loading of vehicles according to paragraphs 4.3, 4.4 outside the scope of agreed services on request of the buyer, they solely act on behalf of the buyer.
- **4.6** (a) The risk transfers latest on handing over the product to the forwarding/collecting agent according to paragraph 4.3, also in the event of partial deliveries or if the seller has taken over additional services, such as dispatch

- or direct delivery of the products. On request of the buyer, the shipment will be insured against theft, physical, fire or water damages and other insurable risks by the seller acting as a mediator only.
- (b) If the buyer defaults in acceptance, the seller is entitled to store the products without further notice/reminders at the buyer's expense and risk.
 (c) If the buyer defaults in acceptance,
- the purchase price is due immediately. **4.7** Partial deliveries by the seller are accepted, if reasonable to the buyer under consideration of the interest of both parties
- **4.8** The acceptance of the shipment without objections by the forwarding/collecting agent is to be considered proof of intact packaging and correct loading, unless the buyer proves that the packaging was damaged or the loading did not take place correctly on handing over the shipment to the forwarding/collecting agent. Complaints due to transport damages are to be reported immediately to the company in charge of the shipment with a copy to the seller.
- **4.9** If the parties use INCOTERMS clauses for an individual purchase contract, those terms apply in the version valid at the time of concluding the contract. Possible contradictions with other terms of paragraph 4 of this agreement are overruled by the agreed INCOTERMS regulations.
- **4.10** The buyer is responsible for the compliance with legal and official regulations concerning import, delivery, storage and use of the services and deliveries performed by the seller in the country or place of destination as well as in the transit countries as well as responsible for the acquisition of required import and transit documents (custom etc.) as long as those are not exclusively to be provided by the seller due to legal reasons.
- **4.11** All deliveries are subject to correct and due supply of the seller.
- **4.12** If it has been exceptionally agreed upon that the seller is to bear custom or export/import costs of the country of origin/destination or of transit countries, the cost in-crease occurring in between the time of the acceptance of order and delivery of the contractual products transfers to the buyer.

5. Reservation of title

- **5.1** Products remain property of the seller until complete payment of all receivables resulting from the business relationship with the buyer are settled.
- **5.2** The reservation of title also persists if single claims of the seller are added to a running account and the account is balanced and confirmed.
- **5.3** The return of reserved products does only represent a withdrawal from the contract, if explicitly declared by the seller in writing. If the seller withdraws from the contract, he/she may claim a reasonable compensation for



the duration the products were in possession of and in use by the buyer.

5.4 (a) The buyer is entitled to use the products owned by the seller in the usual course of business as long as he/she complies with his/her duties resulting from the business relationship with the seller. Not included in the usual course of business is the transfer of claims concerning the purchase price from the buyer to his customer(s); in particular: pawning, mortgage or other encumbrances of the products are prohibited.

(b) All claims of the buyer resulting from the resale of products owned by the seller are already by now transferred to the seller for security reasons. if applicable in the amount of the co-ownership share. Confirmed receivables resulting from current account agreements the buyer already transfer to the seller at the time of concluding the contract with the seller in the amount of accounts receivable. If the buyer defaults in payment, the seller is entitled to claim the interim return of the products owned by the seller even without withdrawing from the contract and setting an additional grace period at the buyer's expense.

(c) In the event of processing of products owned by the seller, the seller is to be considered the manufacturer and gains a co-ownership proportionally to the invoiced value of his own products. (d) If the product of the buyer is to be considered the final product in the event of attaching or blending of products owned by the seller with goods of the buyer, the co-ownership of the product transfers to the seller in the amount of the invoiced value of his/ her own product or the current market value of the final product, if an invoiced value is not existent. In these cases the buver is to be considered the custodian of the product.

5.5 In the event of resale of products owned by the seller, the buyer is obligated to arrange regulations concerning the reservation of title with his customers without revealing the original reservation of title agreed upon with the seller. (Secondary reservation of title)

5.6 If the seller has reasonable concerns that the buyer is not fulfilling or will not fulfil his/her duties towards the seller, the buyer is to order his/ her customers on demand of the seller to abstain from demands to receiving information about the stock of seller-owned products and receivables transferred to the seller as well as to being handed out documents to enforce transferred receivables. The same applies in case of withdrawal of the direct debit authorization. Access to reserved products by third parties and transferred receivables is to be announced immediately.

5.7 If the security value exceeds the claims of the seller by more than 10 %, the seller will release securities on the buyer's request.

6. Warranty, Guarantee

6.1 If not individually agreed upon, the seller delivers the product according to the terms stated in the regular product description (catalogues etc.), otherwise according to standard quality. Ad-

ditional properties of the product to be purchased stated in other publications or advertisements of the seller or his/her suppliers/manufacturers may not be derived by the buyer unless the seller has confirmed those additional properties in writing. Guarantees require an explicit written confirmation by the company management of the seller.

6.2 Subject to compliance with inspection and objection obligations of the buyer according to Section 377 German Commercial Code (HGB) in connection with paragraph 6.3 of this agreement, the seller may choose to compensate for defective products between rectification of the defect or new delivery. The seller reserves the right of two rectification attempts. The seller is entitled to reject the chosen rectification method if rectification would result in unproportionally high costs and the other method of rectification is possible without significant disadvantages for the buyer. If the rectification fails, the buyer is entitled either to claim a reduction of the purchase price or to withdraw from the contract. The right of the buyer to legally claim compensation for damages or necessary expenses according the law, in addition to withdrawing from the contract, remains unchallenged. except the limitations for claims of the buyer according to paragraph 7 of this

6.3 The defect notice according to Section 377 German Commercial Code (HGB) may only be issued by the buyer in writing. Further legal requirements according to Section 377 German Commercial Code (HGB) remain unchallenged. Regardless of that, guarantee claims of the buyer are excluded if the buyer fails to report obvious defects in writing within one week from the date of delivery until dispatch of the written defect notice.

6.4 The delivery of defect-free product for the purpose of rectification generally takes place only in exchange to the return of the defective product.

7. Liability

In cases of contractual or non-contractual liability, the seller compensates for damages or lost expenses according to the following regulations:

7.1 The seller is liable to the full amount in cases of intent or gross negligence.

7.2 On lack of a property for whose existence the seller has taken over a guarantee or which has been assured to the buyer, the seller is liable for the typical, foreseeable damage which was supposed to be prevented through the guarantee or assurance as long as the lack of the guaranteed/assured property was caused by intent or gross negligence.

7.3 In case of light negligent violation of essential contractual obligations (cardinal obligations), the liability of the seller is limited to the compensation for the typical, foreseeable damage; in case of light violation of non-cardinal obligations, liability of the seller is excluded.

7.4 The above mentioned limitations of liability do not apply to claims of the buyer under the Product Liability Act

and resulting from harm to life, body and health caused by the seller.

7.5 Other legal obligations concerning compensation or exclusion of liability, such as Section 281, paragraph 1, sentence 3 German Civil Code (BGB) remain unchallenged.

8. Force Majeure

In case of events or circumstances. such as natural events, war, labor disputes, raw material and energy shortage, traffic and facilities disturbances, fire and explosion damages, orders of higher authorities whose occurrence are outside the sphere of influence of the seller, even under consideration of careful commercial planning and precaution, and which impair the availability of products from the source from which the seller is supplied so that the seller is not able to fulfil his/ her contractual duties (under partial consideration of other internal and external delivery obligations), the seller is (i) relieved from his/her contractual duties for the duration and extend of the disturbance and (ii) is not obligated to obtain the products from third parties.

Sentence 1 also applies as long as the events and circumstances make the execution of the respective business sustainably uneconomic for the seller or influence the seller's suppliers. If those events last longer than 3 months the seller is entitled to withdraw from the con-tract.

9. Confidentiality, data protection

9.1 The parties agree to treat all confidential information and industrial secrets of the other party collected within the scope of execution of the contract confidentially without temporal limits and to use them only within the scope of executing the contract.

9.2 Both parties comply with data protection regulations. The handling of the business relationship will be sup-ported by a data processing system of the seller, thus data of the buyer will be automatically collected and stored. The buyer will be informed about the storage of his/her data.

10. Industrial property rights

10.1 The buyer is responsible that property rights of third parties are not violated by the seller receiving and using materials of the buyer, such as documentations, data, drafts, planes or other execution instructions provided by the buyer necessary for the execution of the contract, and relieves the seller from all related claims. The buyer bears license fees or costs resulting from the avoidance of such violations of property rights.

10.2 If industrial property rights occur within the scope of the execution of contractual agreements, the buyer is to transfer those rights to the seller if legally possible. If the full transfer of rights is not possible, the buyer grants the seller an exclusive, over-all usage right, unlimited in time and space or, if even this is not possible, a non-exclusive right. Legal regulations which grant the buyer a reasonable compensation for the transfer of rights remain un-

challenged.

10.3 The buyer has no property rights towards films, plans, drawings and graphics compiled in the course of the preparation of purchase product. In particular, industrial property rights on those as well as on the contractual products remain with the seller. By full payment of the remuneration, the buyer gains the ownership on the delivered products.

10.4 The seller is entitled to perform or deliver products to third parties, comparable to the products delivered to or compiled for the buyer, in particular films, plans, drawings and graphics. The seller is entitled to attach an adequate copyright label or label of origin to all contractual products.

10.5 The seller is entitled to use the purchase of products delivered to the buyer within reason for own advertising and promotion purposes in any form, such as illustrations of products and the place of use at the buyer's facilities in brochures or electronic media. This right does only not apply if the buyer explicitly disagrees to such use by the time of his/her declaration of intent towards concluding the contract.

11. Place of execution, place of jurisdiction, choice of law, severability clause, written form

11.1 Place of payments by the buyer is the company residence of the seller.
11.2 (a) Place of jurisdiction for all claims resulting from or in relation to the respective purchase contract, concerning its conclusion, its effectiveness and execution is the usual place of jurisdiction of the seller or, on request of the seller, the usual place of jurisdiction of the buyer.

(b) If the buyer has his/her residence outside of the EU, all law suits resulting from or in relation to the respective purchase contract, concerning its conclusion, its effectiveness and execution are carried out according to the arbitration regulations of the German Institution for Arbitration (DIS) under exclusion of the legal recourse. Decisions are made by a single arbitrator who has to have a qualification to judgeship and is appointed according to Section 14 of the German DIS Arbitration Code. The place of arbitration is the place of residence of the seller. The language of arbitration is German. The gathering of evidence takes place under application of the valid regulations of the German Civil Code concerning the gather-ing of evidence.

11.3 German law is applied under exclusion of CISG law (United Nations Convention on Contracts for the International Sale of Goods) as well as the referral regulations of the German International Civil Law.

11.4 If single regulations of these terms of service are entirely or partially invalid or have legal gaps, the effectiveness of other regulations or parts of regulations remains unchallenged.

11.5 The German version of these terms of service is legally determinative. The publication of a version in another language takes only place for the purpose of easier comprehension.





Stell GmbH

Raiffeisenring 35-37 46395 Bocholt Germany info@stell.de stell.de